
















Tg th vs. Tg ph







Difference of V Projection Mean with Real Sieve Position

Top left cell in range: Range:

7x7 Table	DCol 0	DCol 1	DCol 2	DCol 3	DCol 4	DCol 5	DCol 6
DRow 0	0,00	0,00	0,00	0,00	0,00	0,00	0,00
DRow 1	0,00	-0,37	-0,56	0,55	0,65	1,40	0,00
DRow 2	0,00	-0,10	0,27	-0,39	-0,36	-0,84	0,00
DRow 3	0,00	-1,82	0,51	0,37	-0,89	0,91	0,00
DRow 4	0,00	0,36	-0,00	-0,01	1,27	0,16	0,00
DRow 5	0,00	-0,58	-1,18	-1,17	1,16	-0,22	0,00
DRow 6	0,00	0,00	0,00	0,00	0,00	0,00	0,00

Difference of H Projection Mean with Real Sieve Position

Top left cell in range: Range:

7x7 Table	DCol 0	DCol 1	DCol 2	DCol 3	DCol 4	DCol 5	DCol 6
DRow 0	0,00	0,00	0,00	0,00	0,00	0,00	0,00
DRow 1	0,00	-0,24	-0,10	0,17	-0,10	-0,02	0,00
DRow 2	0,00	-0,20	0,07	0,65	-0,02	0,03	0,00
DRow 3	0,00	-0,78	-0,10	0,06	-0,05	-0,21	0,00
DRow 4	0,00	0,09	0,06	0,23	-0,17	0,20	0,00
DRow 5	0,00	-0,02	-0,17	0,17	-0,30	0,35	0,00
DRow 6	0,00	0,00	0,00	0,00	0,00	0,00	0,00