

Conduct of Operations for Hall A
Experiment E08-027/007 - January 10, 2012

Contents

1	Preface	2
2	Documentation	2
3	Shift Personnel Training	3
4	Organization and Administration	4
4.1	Run Coordinator	4
4.2	Physics Division Liaison	7
4.3	Hall Work Coordinator	7
4.4	Shift Leader	7
4.5	Shift Member	9
5	Operating Procedures	9
5.1	Shift Routines	9
5.1.1	Operating Shifts	9
5.1.2	Standby Shifts	10
5.1.3	Operations Turnover	10
5.1.4	Timely Orders to Operators	10
5.1.5	Operator Aid Postings	10
5.2	Hall Access	10
5.3	Collaboration Request for Laboratory Resources	11
5.4	Scheduling of Work by Outside Groups	12
5.5	Control of Equipment and System Status	12
5.5.1	Equipment and Piping Labeling	12
5.6	Independent Verification	13
5.7	Logkeeping	13
A	Special Procedures for Hall A	14
A.1	Badge Reader Physical Access Control	14
A.2	Pivot Area Access	14
B	Special Procedures for E08-027/007	15
B.1	Transition to Restricted Access	15
B.2	Work on the lower platform	16

1 Preface

As part of its mission, JLab provides the resources necessary for international collaborations of scientists to carry out basic research in nuclear physics and related disciplines. This research must be conducted in a manner that ensures that environmental, health and safety (EH&S) concerns receive the highest consideration. At the same time the programmatic goals of the laboratory require that it produce the highest quality physics results efficiently.

Guidance on how to balance thoughtful, measured EH&S concerns with efficient operation has been taken from the JLab EH&S Committee, the JLab EH&S Manual, and the JLab Director's Office. A graded approach is followed in which the measures taken are matched to the scale, cost, complexity, and hazards of the operation.

This document outlines how approved experiment collaborations will conduct operations in a safe and effective manner during the time period that experiment E08-027/007 is on the floor. Installation and commissioning periods are not covered by this document. Furthermore, this document is directed to physics users and physics staff rather than the Hall A technical staff. It must be read, understood, and followed by all members of the collaboration.

The primary physics goals of these experiments are discussed in the proposals^{1, 2}.

2 Documentation

This experiment uses the standard Hall A equipment. This experiment will also use a specifically designed polarized target, and a pair of room temperature septa magnets. In order to accommodate the polarized target the beam line has been altered to include a magnetic chicane, slow raster, a downstream helium bag, and in-hall low power local beam dump. All of the procedures to be used during the course of the experiment are contained in the following documents³:

- The Conduct of Operations for JLab Experiments (COO), the document you are now reading.
- Experiment Safety Assessment Document (ESAD) for E08-027/007 (referring to the base equipment as well as any experiment-specific changes)
- Radiation Safety Assessment Document (RSAD)
- Hall A Experimental Equipment Operations Manual (EEOM)
- Personnel Allowed to Operate Hall A Equipment

¹<http://hallaweb.jlab.org/experiment/g2p/docs/PAC33/dlt.pdf>

²http://hallaweb.jlab.org/experiment/E08-007/home2_files/LowQ2Prop.pdf

³The process is documented at http://www.jlab.org/user_resources/PFX/.

- JLab Emergency Response Plan
- Polarized Target Handbook 2011

Reference copies of these documents will be available in the Counting House for the duration of the experiment. The present document shall hereafter be referred to as the COO. The Experiment Safety Assessment Document shall hereafter be referred to as the ESAD, and the Radiation Safety Assessment Document shall be referred to as the RSAD. The ESAD and COO may also be available on the WWW at an experiment-specific web site. **The COO, the ESAD and the RSAD are required reading for shift personnel.**

A full description of the physics motivation for the experiment, collaboration list, and the general plan for carrying out the experiment can be found in the proposal(s) to the JLab Program Advisory Committee (PAC).

3 Shift Personnel Training

All personnel on shift are required to have successfully completed and be current in the following JLab safety training:

- EH&S Orientation (SAF 100)
- Radiation Worker Training (SAF 801)
- Oxygen Deficiency Hazard Training (SAF 103)
- Hall A Safety Awareness Walk-Through (SAF110)
- Conduct of Operations (SAF120)

All experiment personnel are required to have radiation badges in their possession during their shifts. The Safety Awareness Walk-Through will emphasize hazards that are typical of normal Hall operations. Hazards peculiar to the current experimental setup are addressed in the appendices of this document. In addition, all shift personnel will be trained in the safety procedures to be followed for access to the Hall. This training will include a brief discussion of the purpose and operation of the Personnel Safety System (PSS) for the Hall. Individuals within the collaboration may be required to have other, equipment or procedure-specific training. The need for such training shall be determined by the experiment spokesperson in consultation with the Hall Leader and Physics Division EH&S personnel.

In addition, experiment personnel must familiarize themselves with the sections of the JLab EH&S Manual relevant for their work in the Hall. A reference copy of this document is available in the main hallway of the Counting House. It is also available via <http://www.jlab.org/ehs/manual/EHSbook.html>

Finally, JLab Lock and Tag⁴ training is required for all staff/users who will be performing maintenance on electrical and mechanical equipment which cannot be physically and verifiably isolated from an energy source.

⁴The EH&S Manual provides Lockout/Tagout information in Chapter 6110.

4 Organization and Administration

The operation of the experiment is directed by the Spokespersons and the Hall Leader, Robert Michaels. An organization chart for the experiment is found in Figure 1.

4.1 Run Coordinator

The Run Coordinator is the immediate on-site manager of the experiment and is responsible for ensuring that the physics goals of the experiment are met. This individual is designated by the experiment spokespersons and approved by the Hall Leader. The Run Coordinator shall ensure that the Hall Group Leader, Physics Division Liaison, and at least one Spokesperson are aware of all pertinent issues. The Run Coordinator shall promote an environment in which the highest safety standards are maintained. The functions of the Run Coordinator are:

All Run Coordinators must ensure that all of the JLab training necessary to perform their duties is up to date before their shift as Run Coordinator commences.

I. To manage daily operation of the experiment:

- to ensure that the run plan is clear to the shift workers.
- to define the data quality appropriate for the goals of each shift.
- to track the progress of the experiment.
- to coordinate and schedule activities (e.g., Hall accesses) in order to optimize productivity.
- to ensure that an experiment checklist is completed every 24 hrs during standby shifts.
- together with the Physics Division Liaison, to ensure that the counting house is manned appropriately: i.e., sufficient personnel are present to safely carry out the experimental program or monitor the apparatus as needed.

II. To coordinate interactions between Jlab and the experiment. This entails:

- to ensure that the Hall A Group Leader and Experiment Spokespeople are aware of all necessary issues.
- to coordinate with the various system leaders (Polarized target, beam polarimeter, data acquisition, and data analysis) and schedule activities such as Moller runs, target anneals, thermal equilibrium measurements and Hall accesses to optimize productivity.




Figure 1: Functional Organization of the Hall A Team. Dashed lines indicate information flow, solid lines indicate responsibility.

- informing the Program Deputy of the experiment's status and plans at a 7:45 AM meeting in the MCC during the working week, and at an agreed upon time on weekends or holidays.
- representing the collaboration at the 8:00 AM meetings in the MCC during the work week.
- attending the 1:30 PM Wednesday scheduling meeting in the MCC conference room to represent the collaboration and to present a report on the preceeding week.
- remaining in the local area and being available by cell-phone/pager at all times. (If temporarily unavailable the Run Coordinator must designate another qualified collaborator as a replacement.)
- in conjunction with the Hall Work Coordinator, scheduling work by groups outside the collaboration.
- interact with the Accelerator Program Deputy to plan and conduct unscheduled activities.
- to maintain the "Access Authorization List" (a list of individuals who are to be allowed entry to Hall A when the Hall is in Controlled Access or during maintenance) and ensure that MCC has an up to date list.
- in conjunction with the Hall Work Coordinator, scheduling work by groups outside the collaboration. This work will normally coincide with the scheduled machine maintenance days. This coordination requires a weekly meeting of these two individuals. The product of this meeting will include any necessary updates to the "Access Authorization List".
- to act as the **single point of contact for Unlisted Workers (workers not on the "Access Authorization List") who need access to the Hall and to determine if the Hall is in a state such that the work can be done safely.** The Run Coordinator shall inform the shift leader on duty of the workers scheduled arrival and discuss the impact of the scheduled work with the Target Coordinator.
- to serve as the only person who can authorize work by anyone on the lower target platform; this should be done in consultation with the Target Coordinator.
- to be responsible for safe transition of the Hall to Restricted Access.
- to provide an oral report at the weekly Hall A meeting⁵ updating the experimental progress to the collaboration.

III. To submit a written report to the Hall Leader which includes run time statistics and a description of any significant problems with the Hall instrumentation.

⁵typically held at 3pm on Tuesday.

4.2 Physics Division Liaison

Broadly speaking, the Physics Division Liaison to the experiment is a Hall A staff member selected by Robert Michaels to oversee the hall's interests with respect to personnel and equipment protection.⁶ This is true for all three halls. However, the role of the Physics Division Liaison may include other responsibilities depending upon the experiment and other factors. His/her responsibilities include:

- Oversee that proper rules of safety are carefully followed in the conduct of the experiment.
- Approve a Hall status change to Restricted Access in coordination with the Hall Work Coordinator.
- Training verification of shift workers.
- Together with the Run Coordinator, ensure that the counting house is manned appropriately: i.e., sufficient personnel are present to safely carry out the experimental program or monitor the apparatus as needed.

4.3 Hall Work Coordinator

The Hall Work Coordinator's responsibilities are:

- to act as the **single point of contact for all work in the hall**.
- to determine if the scheduled activities in the hall can be done safely. These activities shall be coordinated with the Physics Division Liaison and the Run Coordinator.
- to ensure that workers are properly trained, are familiar with all significant hazards, and are aware of all applicable work control documents associated with the project.
- in coordination with the Physics Division Liaison, ensure that the hall apparatus is made safe before giving permission to make a transition to Restricted Access (e.g., turn off unused magnets, install protective shields as needed, fulfill specific requirements in the ESAD, etc.).

4.4 Shift Leader

Each shift is led by a Shift Leader. The selection of shift leaders is the responsibility of the Run Coordinator and Physics Division Liaison. The Shift Leader has the following responsibilities:

⁶The responsibilities described here correspond to those of the Physics Division Liaison during the operating phase of the experiment as outlined in the EH&S Manual Chapter 3120/Glossary.

- to carry out the scientific program planned for the shift in a safe and efficient manner.
- to ensure that the logbook contains a complete and accurate description of the events and actions which occurred during the shift.
- to serve as primary contact between the machine control center (MCC) and experiment personnel.
- to oversee that hall equipment is operated properly.
- to ensure the shift checklist is performed every eight hours on operating shifts.
- to ensure that equipment malfunctions are properly labeled and locked-out if necessary and to communicate this to shift personnel and subsystem experts.
- to note in the logbook when workers from outside groups (such as survey and alignment) stop by the counting house before entering the hall when in Controlled Access. Furthermore, to confirm that these workers have communicated with the Run Coordinator and the Hall Work Coordinator.
- to coordinate the response of the shift crew to any emergency situation, including the notification of appropriate individuals as outlined in the JLab Emergency Response Plan.
- to ensure that in any emergency situation the experiment Physics Division Liaison, Run Coordinator, and Hall Leader are notified immediately.
- to notify the Run Coordinator and the Hall Leader, if the hall is down due to equipment failure for more than four hours.

The Shift Leader has the following authority:

- to assign tasks to the shift members as needed.
- to request that the state of the hall be changed (Request for a change to Restricted Access must be approved by the Physics Division Liaison.)
- to limit the number of people in the Counting House or hall if required to effectively and safely carry out the experiment.
- to limit access to hall on-line computers if required to effectively and safely carry out the experiment.
- to authorize qualified personnel to make modifications in the experiment configuration within the allowed parameters, as specified in the EEOM.
- to authorize time accounting for the shift.

4.5 Shift Member

The responsibilities of each shift member are to:

- carry out the scientific goals of the shift in a safe and efficient manner under direction of the shift leader.
- read the logbook to be aware of changes in goals, operating parameters, and new documentation.
- monitor the equipment for problems.
- maintain adequate records of the progress of the shift.
- be present before the start of each shift and coordinate current operating conditions with the previous shift.
- keep all training up-to-date.

5 Operating Procedures

5.1 Shift Routines

There are two types of shifts for active hall experiments: Operating and Standby. Operating shifts are the normal status when beam is available for the experiment. Standby shifts are periods designated by the Run Coordinator when beam is not available or not in use in the hall and none of the equipment, except for the target, requires continuous monitoring. Standby status may result from normal operational planning or from abnormal conditions such as a major down time due to equipment failure.

5.1.1 Operating Shifts

During operating shifts, 24 hour occupation of the counting house area will be maintained by crews of at least two persons ⁷ in 8 hour shifts. One person per shift is designated as the Shift Leader.

The number of persons assigned to a shift will depend on the tasks assigned during the shift. A shift schedule will be posted in the Counting House listing the times and names of personnel on shift and identifying the Shift Leader and Run Coordinator. The shift schedule may be available at an experiment-specific website. The Run Coordinator may also designate and supervise other teams for duties such as offline analysis.

⁷The readiness review committee may require more personnel depending on the complexity of the experiment. Two people are the minimum required for safe operations.

5.1.2 Standby Shifts

During Standby shifts, shift personnel are not required to be on site at JLab but must be available through telephone contact to come in if they are needed. Monitoring the target system can require the presence of a Target Operator during a standby shift. The Target Operator then also acts as Shift Leader. The Run Coordinator will ensure that the shift checklist is executed at least once every 24 hours.

5.1.3 Operations Turnover

The electronic log book, accessible from the web, is a very effective means of remotely obtaining information about experimental operations. This allows experimenters to log in remotely and view all log book entries prior to commencing their shift. Information which can only be recorded in the paper log book, should be noted accordingly and communicated between incoming and outgoing shift personnel directly.

Efficient and effective shift changeovers during experiment operation are enhanced by overlapping shifts. Therefore, whenever possible, shift leaders and workers are scheduled in shifts that are staggered by four hours, leading to an overlap of half a shift.

5.1.4 Timely Orders to Operators

The initial run plan is the responsibility of the Run Coordinator and shall be clearly recorded in the log book. This plan specifies the tasks to be performed in the next 48 - 72 hours, including any special conditions or data runs, updated documentation and its location and/or alternate plans. Any changes to the run plan shall be recorded in the log book and the white board in the counting house.

5.1.5 Operator Aid Postings

The day-to-day schedule, contact instructions for key personnel, and any other information relevant to current activities are located on the white board in the Counting House. Shift personnel should consult the white board, especially at the beginning of their shift, to be aware of any updates to current running conditions.

Information pertaining to activities in Hall A must be posted on the bulletin board or written on the white board at the entrance to the hall.

5.2 Hall Access

Access to the hall will be governed by the JLab Beam Containment Policy⁸, and work in designated radiation areas will be carried out in accordance with the JLab RadCon Manual. In particular, no material may be removed from the hall

⁸EH&S Manual, Appendix 6310-T2.

after beam delivery without proper approval from the RadCon Group.⁹ During operations, no one is allowed in the hall without either being accompanied, or informing shift personnel and checking in on a regular basis.

During a running experiment the hall will normally be in Beam Permit. When temporary access to the hall is needed the Shift Leader can ask the MCC to bring the hall to Controlled Access. If long term access to the hall is required, the Shift Leader may request the hall be brought to Restricted Access. Such a request requires prior approval from the Physics Division Liaison, while the actual transition will be supervised by the Hall Work Coordinator.

Restricted Access is a state where delivery of beam and/or RF power is not permitted, and entry to and exit from the hall is not controlled by the Personnel Safety System. This is the normal state of the hall when the accelerator is off and no experiments are running. Access is “restricted” only in the sense that the hall is not open to the general public. Well-defined check-list procedures are to be followed whenever the hall is brought to and from Restricted Access.

Restricted Access is the period when all major work must be completed in the hall. Consequently, all activities require advanced planning and must be scheduled for resources and safe operation. In order to streamline the activities in the hall and ensure everyone has ready access to the current status and requirements for work, there are two important resources:

- Single point of contact, which is the “Hall Work Coordinator”
- Information board at the entrance to the hall

All work must be scheduled through the Hall Work Coordinator. The content on the information board is the responsibility of the hall safety wardens and the Hall Work Coordinator. The information board will contain all critical information required for safe entry into the hall. This information will include a succinct, one page safety summary covering the hall’s current safety hazards and mitigating measures (to be read by all persons working in the hall), active Operational Safety Procedures (OSPs) and Temporary Operational Safety Procedures (TOSPs), required temporary work permits (e.g., Radiation Work Permits), current activities in the hall, points of contact, and required training and safety equipment.

5.3 Collaboration Request for Laboratory Resources

The collaboration may request additional services from Accelerator Division through the Accelerator Division Liaison, Hari Areti. Alternatively, the collaboration may also request additional services from hall personnel through the Physics Division Liaison, Jian Ping Chen. These requests should be noted in the logbook. Some requests may require that an SOP, OSP, or TOSP be developed.

⁹For Hall B, approval is only required for equipment along the beamline. For Hall A, approval is not required for equipment inside the detector shielding huts.

Major, abnormal, or unanticipated configuration modifications such as stacking or movement of significant shielding, unanticipated vacuum work, unanticipated beam line modifications, the replacement of a wire chamber, etc., require approval of the Hall A Leader, Robert Michaels ¹⁰, and the use of appropriate personnel. The Hall Leader may require that a SOP, OSP, or TOSP be prepared.

5.4 Scheduling of Work by Outside Groups

Work in the hall that is to be performed by groups outside the collaboration such as survey and alignment, plant services, air conditioning, etc., must be scheduled so that it does not endanger personnel or equipment or interfere with the experiment. Non-emergency activities by these groups should be scheduled to coincide with the planned accelerator maintenance periods. To maximize efficiency, the Run Coordinator (representing the collaboration) and the Hall Work Coordinator (representing Hall A) will concur on work scheduling. The Hall Work Coordinator's job is to coordinate activities in the hall so that work can take place smoothly and safely and to insure that multiple activities do not interfere.

The Work Coordinator and the Run Coordinator will meet as needed to plan the work scheduled for the upcoming maintenance period. The product of this meeting will be a list of work in the hall, the required access state of the hall (Controlled or Restricted), appropriate work control documents, and educational or other safety measures (such as escorts) that are needed.

5.5 Control of Equipment and System Status

The operation of the experimental equipment is documented in the Hall A Experimental Equipment Operations Manual. This document includes information on the normal response to alarms and equipment malfunctions. Supplementary information specific to experiment E08-027/007 may be found in the ESAD.

The document "Personnel Allowed to Operate Hall A Equipment" lists the authorized subsystem experts. This list may be amended as necessary to reflect personnel and training changes with the signed authorization of the subsystem expert. A copy of these amendments will be attached to the main document and kept in the Counting House.

All general equipment installation, maintenance, and testing activities are to be carried out in accordance with the JLab EH&S Manual.

5.5.1 Equipment and Piping Labeling

The experiment and hall equipment shall be properly labeled so it can be quickly identified by both shift and maintenance personnel. Proper labeling helps pre-

¹⁰Configuration changes as outlined above can affect site boundary dose and the production of airborne radioactivity. They require consulting with RadCon or EH&S personnel, as appropriate.

vent incorrect operation or modification of equipment by non-experts and facilitates proper and efficient operation by qualified personnel. Labeling also increases the likelihood that proper procedures will be followed in case of emergency.

Improper labels should be corrected immediately if possible. Otherwise, the Shift Leader should be notified so that correct labeling can be requested from the qualified expert.

5.6 Independent Verification

The Run Coordinator will provide the shift crew with a set of measures for checking the quality of the experimental data. The up-to-date Hall A shift checklist (and instructions) shall be made available to shift personnel at hall-specific sites on the data acquisition computers. The checklist will be completed at least once per shift during operating shifts and once per day during standby shifts. Additional items may be added to the list by the Run Coordinator or subsystem experts.

The Hall A Experimental Equipment Operations Manual provides more general check lists for closing the experimental Hall and conditions when the Hall is used as an accelerator dump.

5.7 Logkeeping

Shift personnel will update the electronic logbook, which serves as the record of the experiment. The quality of the information recorded in the logbook determines the utility of the data. All data recorded electronically will be referenced in the computer logbook with the appropriate run number and run information. All relevant activities are to be recorded, including all changes of experiment conditions and equipment failures.

Checklists performed using Hall A-specific forms should also be scanned into the computer logbook when completed. The completed paper forms should be stored in a binder in the counting house. All deviations from normal operating parameters shall be recorded in the logbook.

The computer logbook will also serve as the primary reference for the determination of the operational efficiency of the experimental apparatus in the Hall. As such it is essential that it provide an accurate record of the capability of the equipment to carry out the intended research program. Finally, the computer logbook is the place of record for all safety issues and introductions of new or updated documentation and procedures.

A Special Procedures for Hall A

A.1 Badge Reader Physical Access Control

If the hall is in "Controlled Access" those seeking entry must request access with MCC (generally by the phone near the door) simultaneously with the badge scanning to unlock the outer Hall A personnel door. The MCC cannot override the badge reader's data base and a valid badge does not guarantee that the MCC will allow entry into Hall A. The badge reader's data base of authorized individuals is not static and may be modified as appropriate for the activities underway in the hall at that time.

A.2 Pivot Area Access

The pivot area and access to it is restricted to those individuals on the pivot area work Operating Safety Procedures (OSP) authorized list. This applies at all times including during controlled access entries. The list will be kept to those with critical skills with a real need to access the pivot area. All access to and work on the pivot area must be performed in accordance with the pivot area work OSP.

B Special Procedures for E08-027/007

Hall A Experiment E08-027/007 is a major experiment requiring components and apparatus that are not part of Hall A's standard equipment. These include a polarized ammonia target and a chicane of two electromagnets. The target operations are under computer control in the counting house. The equipment and safety issues specific to E08-027/007 are documented in the E08-027/007 Experimental Safety Assessment Document.

The target magnet is not permitted to be energized without oversight from experimental personnel on duty at all times in either the counting house or in the Hall.

E08-027/007 also requires modification to the beamline. E08-027/007 requires the installation of the upstream chicane magnets. This modification will be put into place in coordination with the accelerator beamline optics group in accordance with their safety and operational procedures.

B.1 Transition to Restricted Access

E08-027/007 will operate under a restrictive process for changing the status of the hall from Controlled to/from Restricted Access. It is inevitable that some activities or the condition of the accelerator will require that the state of the hall be changed to Restricted Access. Even in Restricted Access, work on the lower platform is still regulated by signs on the 5 Gauss barrier that indicate the necessity to contact the Run Coordinator for entry. In addition, The Hall A Work Coordinator or a designee shall supervise all work in the hall while the magnet is cold and the hall is in Restricted Access. If deemed necessary, the Hall Work Coordinator may designate a Hall A technical staff person to remain in the hall while the work is ongoing.

Rules govern the transition to Restricted Access. These rules, enumerated below, will be posted in the Hall A counting house. These requirements do not apply in the case of an emergency.

- The transition from Controlled to Restricted Access can only occur after approval is received by accelerator operations from the experiment Shift Leader. If no shift is underway the experiment Run Coordinator may designate himself/herself as the acting Shift Leader. The laboratory recognizes only the experiment Shift Leader as the individual authorized to request a change in condition of the Hall. This individual must be on site and have the verbal concurrence of either the Hall A Work Coordinator or Physics Liaison prior to issuing his/her request to the MCC. The Boolean logic for this condition is given below:

ACCESS = Shift Leader* .AND. (Physics Liaison .OR. Work Coordinator)
= .TRUE.

The experiment has additional requirements internal to the collaboration which need to be satisfied prior to the Shift Leader issuing his/her re-

quest to the MCC. This includes a verbal approval by the experiment Run Coordinator. The Boolean logic for this condition is given below:

Shift Leader* = Shift Leader .AND. Run Coordinator = .TRUE.

- To prevent potential damage to the polarized target magnet by de-energizing it the magnet will normally remain energized during Restricted Access.
- The magnet will only be de-energized when work on the lower platform (pivot) is deemed absolutely necessary for the progress of the experiment. Examples of such work are rotation of the polarized target or access to the local dump.
- The Run Coordinator must arrange for the Hall A Safety Warden or his designee to supervise the activity that necessitated the change. The state of the hall should revert to Controlled Access or Badge Reader control with Mag Locks Energized when work allows or at the end of the working day.

The time order is: Via the process above the Shift leader determines that the hall state must change to Restricted Access. Then, a complete radiological survey can take place, with the exception of the pivot area, where work is never allowed at any time the magnet is energized. The Shift Leader communicates this request to MCC and the state of the hall can be altered. Finally, the Hall A Work Coordinator (or his designee) must supervise the activity that necessitated the change. If deemed necessary, the Hall Work Coordinator may designate a Hall A technical staff person to remain in the hall while the work is ongoing.

B.2 Work on the lower platform

If work on the lower platform area is required, the Run Coordinator must:

- The Run Coordinator must arrange that the target field is de-energized and arrange that the serial line that allows remote communication with the target magnet power supply is disconnected from the supply. The Target Coordinator or his/her designee will de-energize the magnet and disconnect the serial line.
- In addition, after the target field is de-energized, the Run Coordinator must arrange that the positive magnetic lead be removed from the supply. The Target Coordinator or his/her designee will lock the lead connector in a manner compliant with Jefferson Lab's lock and tag policy.
- The Run Coordinator must arrange that all vacuum window shields are in place (Typically no window covers should need installation. However their integrity should be affirmed). The Hall A Work Coordinator or his/her designee is charged with the inspection of the window coverings. If this requires access to the lower platform, this individual shall wear hearing protection and a face shield while performing this operation.

The time order is: Via the process above the Shift leader determines that work on the lower platform is required. The Run Coordinator or the Shift Leader requests that the Target Coordinator or his/her designee ramp the target field down. Once the field is down, the Target Coordinator or his/her designee will disconnect the serial line for remote control of the magnet power supply. The Target Coordinator or his/her designee must then unplug and lock the positive lead to the magnet power supply. The Hall A Work Coordinator (or his designee) and an ARM can enter and visually inspect the window coverings. Then, a complete radiological survey can take place. Finally, the Hall A Work Coordinator (or his designee) must supervise the activity that necessitated the change. If deemed necessary, the Hall Work Coordinator may designate a Hall A technical staff person to remain in the hall while the work is ongoing.