

Page 1 of 5	A0000-00	
Form approved		
Inspected by:	TK	21/07/14
Supervisor in charge:	JF	21/07/14

Da

Test Item:							
Test Item:		(1) Water Circuit Leak Test.					
Detail:	Apply water	Apply water pressure of 1.5 [Mpa] to each cooling circuit for 30 minutes and check for leakage.					
Unit Under Test:							
Contract:	Custo	omer	Purchas	e Order #	Magnet Serial Nu	ımber	
Contract.	J-La			002741	01		
	Drawir	ng No.	Revision	D	escription		
Part:	0006	A000	С	Small	coil assembly	$\overline{\checkmark}$	
Coil Serial Number:			89174	'			
Equipment:							
	Мо	del	Serial I	Number	Calibration Due	Date	
Pressure Gauge:	Dweyer	DPG-09	BSL-0009	9-DPG-788	11/07/201	5	
Test Condition:							
Date:			21/07/2014		[DD / MM / YYYY]		
Ambient Temp:			15.2		[°C]		
Humidity:			63		[%]		
Criteria:							
Observation:		No	water leaks detec	cted.			
Results:							
	Pancake 1:	Leaks		No Leaks			
	Pancake 2:	Leaks	/	No Leaks			
	Pancake 3:	Leaks	/	No Leaks			
	Pancake 4:	Leaks	/	No Leaks			
Judgement:		Strike throug	gh whatever is not applicable				
		PASS	gh whatever is not applicable	FAIL			



Page 2 of 5	CCS-0006	A0000-00
	Form ap	proved by:
Inspected by:	TK	28/07/14
Supervisor in charge:	JF	28/07/14

Di

J-Lab Apex Magnet Small Coil - Coil Test Record

_			
Te			

Test Item:	(2) Water Circuit Flow Test.		
Detail:	Measure the flow rate of each cooling circuit at a pressure drop of 32.5 [PSI] and water inlet temperature		
Detail:	of 35 [°C].		

Unit Under Test:

Contract:		Customer	Purchase Order #		Magnet Serial Nu	ımber
	Contract.	J-Labs	5100002741		01	
		Drawing No.	Revision	Description		
	Part:	0006A000	С	Small coil assembly		
	Coil Serial Number:		89174			

Equipment:

	Model	Serial Number	Calibration Due Date
Flow Meter:	RS	FG9	10/01/2015
Pressure Gauge:	Dweyer DPG-09	BSL-0003-DPG	23/07/2015
Pressure Gauge:	Dweyer DPG-09	BSL-0003-DPG	23/07/2015

Test Condition:

Date:	28/07/2014	[DD / MM / YYYY]
Ambient Temp:	13.1	[°C]
Humidity:	58	[%]

Criteria:

Measurement:	Water flow rate ≥ 2.60 [L/min] @ 32.5 [PSI] pressure drop

Results:

		Flow Rate		
	Inlet	Inlet Outlet Drop		
Pancake 1:	44.5	9.5	35.0	2.6
Pancake 2:	44.8	10.7	34.1	2.6
Pancake 3:	44.8	10.8	34.0	2.6
Pancake 4:	45.0	10.4	34.6	2.6

Judgement:

		,		
	PASS	/	-FAIL-	
Strike through whatever is not applicable				



Page 3 of 5 CCS-0006A0000-0		
Form approved b		
Inspected by:	TK	21/07/14
Supervisor in charge:		

Da

J-Lab Apex Magnet Small Coil - Coil Test Record

	m:

Test Item:	4-4 (1) (b) (i) Resistance Measurement of Magnet.	
Dotaile	Measure the resistance of each pancake and the whole coil by 4-terminal method.	
Detail:	Measure the temperature and correct the resistance measurement to 20 [°C].	

Unit Under Test:

Γ	Contract:	Customer	Purchase Order #		Magnet Serial Number	
L	Contract.	J-Labs	5100002741		01	
		Drawing No.	Revision	Description		
	Part:	0006A000	С	Small	Small coil assembly	
ſ	Coil Serial Number:		89714			

Equipment:

	Model	Serial Number	Calibration Due Date
Thermometer:	HH506RA Omega	11000285	11/04/2015
Power Supply:	Isotech IPS303DD	321C095G2	25/10/2014
Voltmeter:	Isotech IDM72	25900022	8/05/2015

Test Condition:

Date:	21/07/2014	[DD / MM / YYYY]
Ambient Temp:	15.3	[°C]
Humidity:	63	[%]

Criteria:

Measurement:	Record the resistance and temperature measurements below.
Observation:	No abnormalities

Results:

	Pancake 1	Pancake 2	Pancake 3	Pancake 4	Coil	
R _{meas} :	2.45	2.44	2.48	2.43	9.80	[Ω]
T _{meas} :	10.0	10.0	10.0	10.0	10.0	[°C]
R20°c:	2.546	2.536	2.577	2.525	10.185	[Ω]
$R_{20^{\circ}C} = R_{\text{meas}} (1 + 0.00393 (20 - T_{\text{meas}}))$						

Judgement:

	PASS	/	-FAIL-		
Strike through whatever is not applicable					



Page 4 of 5	CCS-0006A0000-0		
Form approved			
Inspected by:	: TK 22/07/1		
Supervisor in charge:	JF 22/07/14		
Supervisor in charge:	JF	22/07/1	

Date

J-Lab Apex Magnet Small Coil - Coil Test Record

Test Item:

Test Item:	(4) Induced Voltage Test.	
Detail:	Perform a 300V impulse test on the completed coil to verify the inter-turn insulation.	
Detail:	Record the resulting waveform.	

Unit Under Test:

Contract:	Customer	Purchase Order #		Magnet Serial Number	
Contract.	J-Labs	5100002741		01	
	Drawing No.	Revision	Description		
Part:	0006A000	С	Small	Small coil assembly	
Coil Serial Number:		89714			

Equipment:

		Model	Serial Number	Calibration Due Date
ſ	Impulse Tester:	Leaptronix	IWAT-5000A	4/12/2014


Test Condition:

Date:	22/07/2014	[DD / MM / YYYY]
Ambient Temp:	10.2	[°C]
Humidity:	57	[%]

Criteria:

Measurement:	Record the resulting waveform and insert below.
Observation: No significant difference between the measured waveform and the reference w	

Results:



Judgement:

PASS / FAIL



Page 5 of 5 CCS-0006A0000-		
Form approved b		
Inspected by:	TK	28/07/14
Supervisor in charge:	JF	28/07/14

Dat

J-Lab Apex Magnet Small Coil - Coil Test Record

Contract: Customer Purchase Order # Magnet Serial Nu J-Labs 5100002741 01 Drawing No. Revision Description Part: 0006A000 C Small coil assembly Coil Serial Number: 89174 Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015					
Immerse the completed coil in tap water and then measure the leakage current between terminals and the water bath at 4.8[kVDC] for 1 minute. Contract:					
Immerse the completed coil in tap water and then measure the leakage current between terminals and the water bath at 4.8[kVDC] for 1 minute. Contract:					
Detail: terminals and the water bath at 4.8[kVDC] for 1 minute. Contract: Customer Purchase Order # Magnet Serial Nu					
Unit Under Test: Contract: Customer Purchase Order # Magnet Serial Nu J-Labs 5100002741 01 Drawing No. Revision Description Part: 0006A000 C Small coil assembly Coil Serial Number: 89174 Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus \$00300001272 \$5/03/2015					
Contract: Customer Purchase Order # Magnet Serial Nu J-Labs 5100002741 01 Drawing No. Revision Description Part: 0006A000 C Small coil assembly Coil Serial Number: 89174 Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015					
Contract: J-Labs Drawing No. Part: 0006A000 C Small coil assembly Coil Serial Number: Equipment: Model Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 Description Description C Small coil assembly Calibration Due Soudount Serial Number Calibration Due					
Drawing No. Revision Description Part: 0006A000 C Small coil assembly Coil Serial Number: 89174 Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015	Magnet Serial Number				
Part: 0006A000 C Small coil assembly Coil Serial Number: 89174 Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015	-				
Coil Serial Number: 89174 Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015					
Equipment: Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015	$\overline{\checkmark}$				
Model Serial Number Calibration Due Hipot Tester: Quadtech 20plus S00300001272 5/03/2015					
Hipot Tester: Quadtech 20plus S00300001272 5/03/2015					
Hipot Tester: Quadtech 20plus S00300001272 5/03/2015	Data				
Test Condition:					
Date: 28/07/2014 [DD / MM / YYYY]					
Ambient Temp: 14.3 [°C]	[°C]				
·	[%]				
Criteria:					
Measurement: Record the leakage current @ 4.8 [kVDC]					
Observation: No evidence of breakdown or significant change in insulation resistance.					
Results:					
	,				
Leakage Current: 0.8 [μA] @ 4.8 [kV _{DC}]				
Judgement:					
PASS / FAIL					