

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrmnt
MC12013P	L MECL2-MODULUSPRESCALER	1	25	11.80	25
MC12014L	L LAST ORDER DATE:03/27/98	3	25	11.30	25 S P
MC12015D	L LOWPOWERPRESCALER	2	98	7.92	98 S P
MC12015P	L MECLLO PWR2-MOD PRSCLR	2	50	7.92	50 S P
MC12016D	L LOWPOWERPRESCALER	2	98	7.92	98 S P
MC12016P	L MECLLO PWR2-MOD PRSCLR	2	50	7.92	50 S P
MC12017D	L LOWPOWERPRESCALER	2	98	7.92	98 S P
MC12017DR2	L MECLLO PWR2-MOD PRSCLR	2	2500	7.95	2500 S P
MC12017P	L MECLLO PWR2-MOD PRSCLR	1	50	7.92	50 S P
MC12018DR2	L MECL %128/129 LO PWR PSCL	2	2500	19.60	2500 S P
MC12018P	L MECL %128/129 LO PWR PSCL	2	50	19.00	50 S P
MC12019D	L PLL LO PWR2 MOD PRESCLR	2	98	8.48	98 S P
MC12019P	L MECL %20/21 LO PWR PRSCLR	2	50	7.92	50 S P
MC12022AD	L LWPWR2-MODULRPRESCALER	1	98	5.35	98
MC12022ADR2	L LWPWR2-MODPRESALER	2	2500	5.38	2500
MC12022AP	L LWPWR2-MODULRPRESCALER	2	50	5.35	50
MC12022BDR2	L LWPWR2-MODPRESALER	2	2500	5.38	2500
MC12022LVAD	L LWPWR2-MODULRPRESCALER	N	98	6.15	98
MC12022LVAP	L LOWVOLT2-MODPRESALER	N	50	6.15	50
MC12022LVBD	L LWPWR2-MODULRPRESCALER	N	98	6.15	98
MC12022LVBP	L LOWVOLT2-MODPRESALER	N	50	6.15	50
MC12022TSAD	L LOWPOW2-MODPRESALER	N	98	6.15	98
MC12022TSAP	L LOWPOW2-MODPRESALER	N	50	6.15	50
MC12022TVAD	L LOWPOW2-MOD PRSCLR	N	98	6.15	98
MC12022TVAP	L LOWPOW2-MOD PRSCLR	N	50	6.15	50
MC12023D	L PLL LO POWER PRESALER	2	98	8.48	98 S P
MC12026AD	L 2-MODPRESCER6/7 &16/17	1	98	6.68	98 S P
MC12026ADR2	L 2-MODPRESCER6/7 &16/17	2	2500	6.72	2500 S
MC12026AP	L 2-MODPRESCER6/7 &16/17	N	50	6.68	50 S P
MC12026ASD	L 2-MODPRESCER6/7 &16/17	N	156	7.02	156 S P
MC12026BD	L 2-MODPRESCER6/7 &16/17	N	98	6.68	98 S P
MC12026BP	L 2-MODPRESCER6/7 &16/17	N	50	6.68	50 S P
MC12026BSD	L 2-MODPRESCER6/7 &16/17	N	156	7.02	156 S P
MC12028AD	L LOWPOWER2-MODULUSPRESC	1	98	6.68	98 S P
MC12028AP	L LOWPOWER2-MODULUSPRESC	2	50	6.68	50 S P
MC12031AP	L LAST ORDER DATE:02/11/98	N	50	7.48	50 S P
MC12031BD	L LAST ORDER DATE:02/11/98	N	98	7.48	98 S P
MC12031BP	L LAST ORDER DATE:02/11/98	N	50	7.48	50 S P
MC12032AD	L LWPWR2-MODULRPRESCALER	N	98	7.33	98 S P
MC12033AD	L LOWPOWERHIFREQPRESCAL	N	98	7.48	98 S P
MC12033AP	L LOWPOWERHIFREQPRESCAL	N	50	7.48	50 S P
MC12033BD	L LOWPOWERHIFREQPRESCAL	N	98	7.48	98 S P
MC12033BP	L LOWPOWERHIFREQPRESCAL	N	50	7.48	50 S P
MC12034AD	L LWPWR2-MODHIFREQPRS	2	98	7.33	98 S P
MC12034ADR2	L LWPWR2-MODHIFREQPRS	2	2500	7.37	2500 S

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrmnt
MC12036AD	L LAST ORDER DATE:02/11/98	N	98	6.68	98
MC12036AP	L LAST ORDER DATE:02/11/98	N	50	6.68	50
MC12036BD	L LAST ORDER DATE:02/11/98	N	98	6.68	98
MC12036BP	L LAST ORDER DATE:02/11/98	N	50	6.68	50
MC12038AD	L LOWPOW2MODULUSPRESCAL	N	98	6.68	98
MC12038AP	L LOWPOW2MODULUSPRESCAL	N	50	6.68	50
MC12040FN	L MECLPHASE-FREQ.DETCETOR	2	46	12.10	46 S P
MC12040FNR2	L MECLPHASE-FREQ.DETCETOR	2	1000	12.13	1000 S P
MC12040L	L MECLPHASE-FREQ.DETCETOR	2	25	15.33	25 S P
MC12040P	L MECLPHASE-FREQ.DETCETOR	1	25	10.37	25 S P
MC12052AD	L LOWPOWER2-MODPRESALER	N	98	3.88	98 S P
MC12053AD	L 2-MODPRSLR64/65&128/129	N	98	3.88	98 S P
MC12054AD	L LOWPOW2MODHIFRQPSLR	N	98	4.75	98 S P
MC12058D	L 2MODPSLR126/128/254/256	N	98	4.38	98 S P
MC12061L	L MECLCRYSTALOSCILLATOR	3	25	13.39	25 S P
MC12061P	L MECLCRYSTALOSCILLATOR	2	25	4.95	25 S P
MC12073D	L MECLLO PWR PRSCLR %64	N	98	8.48	98
MC12073P	L MECLLO PWR PRSCLR %64	2	50	7.92	50
MC12074D	L MECLLO PWR PRSCLR %256	2	98	8.48	98 S P
MC12075D	L LOWPOWERPRESCALER +64	N	98	6.88	98
MC12076D	L LWPWRPRESCALR, ENHANCED	2	98	6.88	98
MC12079D	L LOWPOWMUL-MODHIFREQP	2	98	5.35	98
MC12079DR2	L LOWPOWMUL-MODHIFREQP	N	2500	5.38	2500
MC12079P	L LOWPOWMUL-MODHIFREQP	N	50	5.35	50
MC12080D	L LOWPOWMULTMODHFREQUE	N	98	9.92	98 S P
MC12080P	L LOWPOWMULTMODHFREQUE	N	50	9.92	50 S P
MC12083D	L LOWPOWPRESCALER %2	N	98	6.15	98 S P
MC12083P	L LOWPOWPRESCALER %2	N	50	6.15	50 S P
MC12089D	L 64/1282.8GHZPRESCALER	N	98	5.35	98
MC12089P	L 64/1282.8GHZPRESCALER	N	50	5.35	50
MC12090L	L MECLPLL MSFF	3	25	14.34	25 S P
MC12093D	L LOWPOWPRESCLER %2,4,8	N	98	6.92	98 B
MC12095D	L LOWPOWPRESCLDIVBY2,4	N	96	4.68	96 B
MC12100FN	L HIACCURHIFREQVCO	2	46	13.92	46 S P
MC12101FN	L HIFREQVOLTCONTMULVIB	2	46	13.13	46 S P
MC12147D	L 1.1GHZVCO	N	98	3.06	98 B
MC12148D	L VOLTCONTROLOSCILLATOR	2	98	3.27	98 B
MC12148P	L VOLTCONTROLOSCILLATOR	N	50	3.27	50 B
MC12148SD	L VOLTCONTROLOSCILLATOR	N	156	5.33	156 B
MC12149D	L 1.1GHZVCO	N	98	3.19	98 B
MC12179D	L FREQUENCYSYNTHESIZER	N	98	5.26	98 S B
MC12179DR2	L FREQUENCYSYNTHESIZER	2	2500	5.28	2500 S B
MC12202D	L SERINPUTFREQSYNTHSIZER	N	48	4.25	48
MC12202DT	L SERINPUTFREQSYNTHSIZER	N	75	4.75	75
MC12206D	L SERINPUTFREQSYNTHSIZER	2	48	4.21	48 B

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per Unit Sugg.		Factory		
		Resale Price	Price	Order		
PC	Qty			Incrmnt		
MC12206DT	L SER INPUT FREQ SYNTHSIZER	N	75	4.53	75	B
MC12210D	L SERIAL INPUT FREQ SNTHZER	2	48	5.11	48	B
MC12210DT	L SERIAL INPUT FREQ SNTHZER	N	75	5.42	75	B
MC12429FN	L CLOCK GENERATOR	N	37	21.90	37	B
MC12439FN	L CLOCK GENERATOR	N	37	21.90	37	B
MC13022ADWR3	C AM STEREO DECODER	2	1000	3.35	1000	
MC13025D	C AM STEREO FRONT END	N	48	1.48	48	S
MC13025P	C AM STEREO FRONT END	2	500	1.48	500	
MC13028AD	C AM STEREO DECODER IC	N	48	2.57	48	
MC13028ADR2	C AM STEREO DECODER IC	2	2500	2.63	2500	
MC13028AP	C AM STEREO DECODER IC	N	25	2.57	25	
MC13030DW	C DUAL CONV AM RECEIVER	N	26	3.54	26	
MC13030DWR3	C DUAL CONV AM RECEIVER	2	1000	2.93	1000	
MC13055D	L LIN WIDE BAND FSK RCVR	2	48	3.47	48	S P
MC13055DR2	L LIN WIDE BAND FSK RCVR	2	2500	3.51	2500	S P
MC13055P	L LIN WIDE BAND FSK RCVR	2	25	3.47	500	S P
MC13060D	L LIN MINI-WATT AUDIO OUTPT	3	98	2.21	98	S P
MC13060DR2	L LIN ONE WATT AUDIO AMP	2	2500	1.01	2500	S P
MC13077DW	L LIN ADV PAL/NTSC ENCODER	N	38	5.13	38	S P
MC13077P	L LIN ADV PAL/NTSC ENCODER	2	18	4.95	360	S P
MC13081XB	L MONITOR CHIP	N	9	6.48	9	S P
MC13109FB	L COMBO	N	96	12.15	96	S P
MC13109FTA	L COMBO	N	250	6.32	1250	S P
MC13110FB	L COMBO3 CT1 PHONE CIRCUIT	N	96	14.19	480	S P
MC13111FB	L COMBO4 CT1 PHONE CIRCUIT	N	96	8.91	480	S P
MC13122DW	C AM STEREO DECODER	N	26	3.70	26	S
MC13122DWR3	C AM STEREO DECODER	2	1000	3.76	1000	S
MC13122P	C AM STEREO DECODER	N	13	3.70	13	
MC13135DW	L VHF RECEIVER	N	30	3.51	30	S P
MC13135P	L VHF RECEIVER	N	15	3.51	15	S P
MC13136DW	L IF RECEIVER	N	30	3.51	30	S P
MC13136P	L IF RECEIVER	N	15	3.33	15	S P
MC13141D	L LOPWRDC-1.8GHZ LNA/MIXER	N	55	3.87	55	
MC13141DR2	L LOPWRDC-1.8GHZ LNA/MIXER	2	2500	3.87	2500	
MC13142D	L LOPWRDC-1.8GHZ LNA MIXER	N	48	3.87	48	
MC13143D	L LOPWRDC-1.8GHZ MIXER	N	98	3.87	98	
MC13150FTB	L NAR BND FM RX COILESS DET	N	250	3.56	1250	S P
MC13155D	L WIDE BAND IF	2	48	4.28	48	S P
MC13155DR2	L WIDE BAND IF	2	2500	4.32	2500	S P
MC13156DW	L FM IF RECEIVER	N	30	5.02	30	S P
MC13156DWR2	L FM IF RECEIVER	2	1000	5.02	1000	S P
MC13156FB	L FM IF SYSTEM	N	90	4.84	1250	S P
MC13158FTB	L IF RECEIVER	N	250	5.13	1250	S P
MC13173FTB	L IR TRANSCEIVER	N	90	10.22	450	S P
MC13175D	L UHF TRANSMITTER	N	48	3.78	48	S P

Type No.	Grp/Description	Per Unit Sugg.		Factory		
		Resale Price	Price	Order		
PC	Qty			Incrmnt		
MC13176D	L UHF TRANSMITTER	1	48	3.78	48	S P
MC13176DR2	L UHF TRANSMITTER	2	2500	3.82	2500	S P
MC13281AP	L LAST ORDER DATE:03/05/98	N	15	2.09	15	
MC13281BP	L LAST ORDER DATE:03/05/98	N	18	1.81	360	
MC13282AP	L LAST ORDER DATE:03/05/98	N	15	3.27	15	
MC1350D	L LIN IF AMP	1	98	1.44	98	S P
MC1350DR2	L LIN RF/IF AMP	2	2500	1.48	2500	S P
MC1350P	L LIN IF AMP	1	50	1.44	1000	S P
MC1357D	L LIN IF AMP & QUAD DETCTR	2	55	1.16	55	
MC1357P	L LIN IF AMP & QUAD DETCTR	2	25	1.16	500	
MC1374P	L LIN TV MODULATOR CIRCUIT	1	25	1.84	500	S P
MC1377DW	L LIN RGB COLOR ENCDR	2	38	3.46	38	S P
MC1377DWR2	L LIN RGB COLOR ENCDR	2	1000	3.49	1000	S P
MC1377P	L LIN RGB TO PAL/NTSC ENCDR	2	18	3.28	360	S P
MC1378FN	L LIN COLOR TV VIDEO SYNCH	2	26	13.12	26	S P
MC1378P	L LIN COLOR TV VIDEO SYNCH	2	9	13.12	9	S P
MC1391P	L LIN TV HORIZ PROCESSOR	2	50	.67	1000	
MC14C88BD	L QDLOPWR RS232/562 LND R	N	55	.99	55	†
MC14C88BDR2	L QDLOPWR RS232/562 LND R	N	2500	1.02	2500	†
MC14C88BP	L QDLOPWR RS232/562 LND R	2	25	.99	500	†
MC14C89ABD	L QDLOPWR RS232/562 RECV R	2	55	1.19	55	†
MC14C89ABDR2	L QDLOPWR RS232/562 RECV R	2	2500	1.22	2500	†
MC14C89ABP	L QDLOPWR RS232/562 RECV R	2	25	1.19	500	†
MC14C89BP	L QDLOPWR RS232/562 RECV R	2	25	.99	500	†
MC14LC5447DW	C COST REDUCED CALLIER I.D.	N	47	1.88	47	
MC14LC5447DWR2	C CLASS DEMODULATOR	N	1000	1.94	1000	
MC14LC5447P	C COST REDUCED CALLIER I.D.	N	25	1.88	25	
MC14LC5472FE	C ISDN "U" TRANSCEIVER	2	180	45.22	180	
MC14LC5472FU	C ISDN "U" TRANSCEIVER	2	390	30.92	390	
MC14LC5480DW	C PCM CODEC/FILTER	N	38	2.69	38	B
MC14LC5480DWR2	C PCM CODEC/FILTER	2	1000	2.74	1000	B
MC14LC5480P	C PCM CODEC/FILTER	N	18	2.69	18	B
MC14LC5480SD	C PCM CODEC/FILTER	N	66	2.96	66	B
MC14LC5480SDR2	C PCM CODEC/FILTER	N	1500	3.01	1500	★ B
MC14LC5540DW	C ADPCM/CODEC	N	26	6.38	26	B
MC14LC5540DWR2	C ADPCM/CODEC	2	1000	6.43	1000	B
MC14LC5540FU	C ADPCM/CODEC	N	90	7.34	90	B
MC14LC5540P	C ADPCM/CODEC	N	13	6.38	13	B
MC14001BCL	L CMOS QUAD2-INOR GATE	2	25	1.13	500	†
MC14001BCP	L CMOS QUAD2-INOR GATE	1	25	.27	500	†
MC14001BD	L CMOS QUAD2-INOR GATE	2	55	.29	55	†
MC14001BDR2	L QUAD2-INPUT NOR GATE	2	2500	.31	2500	†
MC14001UBCL	L LAST ORDER DATE:03/27/98	2	25	1.13	500	†
MC14001UBCP	L CMOS QUAD2-1NOR GATE	2	25	.27	500	†
MC14001UBD	L CMOS QUAD2-INOR GATE	2	55	.29	55	†

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrmnt		Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrmnt	
MC14001UBDR2	L CMOSQUAD2-INOR GATE	2	2500	.31	2500	†	MC14020BCP	L CMOS14-BIT BINARY CNTR	1	25	.59	500	†
MC14002BCL	L LAST ORDER DATE:03/27/98	3	25	2.24	500	†	MC14020BD	L CMOS14-BIT BINARY CNTR	2	48	.61	48	†
MC14002BCP	L CMOSDUAL4-INOR GATE	2	25	.27	500	†	MC14020BDR2	L 14-BIT BINARY COUNTER	2	2500	.63	2500	†
MC14002BDR2	L DUAL4-INPUT NOR GATE	2	2500	.31	2500	†	MC14021BCL	L CMOS8-BIT STATIC S/R	2	25	1.80	500	†
MC14006BCL	L LAST ORDER DATE:03/27/98	3	25	2.48	500	†	MC14021BCP	L CMOS8-BIT STATIC S/R	1	25	.59	500	†
MC14006BCP	L CMOS18-BIT STATIC S/R	2	25	.63	500	†	MC14021BD	L CMOS8-BIT STATIC S/R	2	48	.61	48	†
MC14007UBCP	L CMOSDUAL COMP PAIR/INV	2	25	.27	500	†	MC14021BDR2	L 8-BIT STATIC SHFT REG	2	2500	.63	2500	†
MC14007UBD	L CMOSDUAL COMP PAIR/INV	2	55	.29	55	†	MC14022BCL	L LAST ORDER DATE:03/27/98	3	25	2.62	500	†
MC14007UBDR2	L DUAL COMPL PR PLU INV	2	2500	.31	2500	†	MC14022BCP	L CMOS OCTAL CNTR/DIV	2	25	.59	500	†
MC14008BCL	L CMOS4-BIT FULL ADDER	3	25	3.15	500	†	MC14022BDR2	L OCTAL COUNTER/DIVIDER	2	2500	.63	2500	†
MC14008BCP	L CMOS4-BIT FULL ADDER	2	25	.63	500	†	MC14023BCL	L CMOS TRIPLE3-INAND GATE	2	25	1.13	500	†
MC14008BDR2	L 4-BIT FULL ADDER	2	2500	.67	2500	†	MC14023BCP	L CMOS TRIPLE3-INAND GATE	1	25	.27	500	†
MC14011BCL	L CMOSQUAD2-INAND GATE	2	25	1.13	500	†	MC14023BD	L CMOS TRIPLE3-INAND GATE	2	55	.29	55	†
MC14011BCP	L CMOSQUAD2-INAND GATE	1	25	.27	500	†	MC14023BDR2	L TRIPLE3-INPUT NAND GATE	2	2500	.31	2500	†
MC14011BD	L CMOSQUAD2-INAND GATE	1	55	.29	55	†	MC14024BCL	L CMOS7-STGRIPPLE CNTR	2	25	1.58	500	†
MC14011BDR2	L QUAD2-INPUT NAND GATE	2	2500	.31	2500	†	MC14024BCP	L CMOS7-STGRIPPLE CNTR	1	25	.43	500	†
MC14011UBCL	L LAST ORDER DATE:03/27/98	2	25	1.13	500	†	MC14024BD	L CMOS7-STGRIPPLE CNTR	2	55	.45	55	†
MC14011UBCP	L CMOSQUAD2-INAND GATE	2	25	.27	500	†	MC14024BDR2	L 7-STAGERIPPLE COUNTER	2	2500	.47	2500	†
MC14011UBD	L CMOSQUAD2-INAND GATE	2	55	.29	55	†	MC14025BCP	L CMOS TRIPLE3-INOR GATE	1	25	.27	500	†
MC14011UBDR2	L QUAD2-INPUT NAND GATE	2	2500	.31	2500	†	MC14025BDR2	L TRIPLE3-INPUT NOR GATE	2	2500	.31	2500	†
MC14012BCL	L CMOSDUAL4-1 NAND GATE	3	25	2.24	500	†	MC14027BCL	L CMOS DUAL J-KFF	2	25	1.55	500	†
MC14012BCP	L CMOSDUAL4-1 NAND GATE	2	25	.27	500	†	MC14027BCP	L CMOS DUAL J-KFF	1	25	.32	500	†
MC14012BDR2	L DUAL4-INPUT NAND GATE	2	2500	.31	2500	†	MC14027BD	L CMOS DUAL J-KFF	2	48	.34	48	†
MC14013BCL	L CMOSDUAL D-TYPE FF	1	25	1.17	500	†	MC14027BDR2	L DUAL J-K FLIP-FLOP	2	2500	.36	2500	†
MC14013BCP	L CMOSDUAL D-TYPE FF	1	25	.29	500	†	MC14028BCL	L CMOSBCD-TO-DECIMAL DEC	3	25	3.38	500	†
MC14013BCPD	L LAST ORDER DATE:03/27/98	2	25	.50	500	†	MC14028BCP	L CMOSBCD-TO-DECIMAL DEC	1	25	.59	500	†
MC14013BD	L CMOSDUAL D-TYPE FF	1	55	.31	55	†	MC14028BD	L CMOSBCD-TO-DECIMAL DEC	2	48	.61	48	†
MC14013BDR2	L DUAL D FLIP-FLOP	2	2500	.32	2500	†	MC14028BDR2	L BCD TO DECIMAL DECODER	2	2500	.63	2500	†
MC14014BCL	L CMOS8-BIT STATIC S/R	3	25	3.06	500	†	MC14029BCL	L LAST ORDER DATE:03/27/98	3	25	3.09	500	†
MC14014BCP	L CMOS8-BIT STATIC S/R	2	25	.68	500	†	MC14029BCP	L CMOS BIN/DECU/DCTR	2	25	.59	500	†
MC14014BDR2	L 8-BIT STATIC SHFT REG	2	2500	.72	2500	†	MC1403BD	L VOLT REG	2	98	1.57	98	†
MC14015BCL	L CMOSDUAL4-BIT STAT S/R	2	25	2.39	500	†	MC1403D	L LIN PREC LOW VOLT REFRCNCE	1	98	1.31	98	†
MC14015BCP	L CMOSDUAL4-BIT STAT S/R	1	25	.61	500	†	MC1403DR2	L PREC LO VOLT REF	2	2500	1.33	2500	†
MC14015BD	L CMOSDUAL4-BIT STAT S/R	2	48	.63	48	†	MC1403P1	L LIN LOW VOLT REFNCNCE	N	50	1.94	1000	†
MC14015BDR2	L DUAL5-BIT STATIC SFT REG	2	2500	.65	2500	†	MC14035BCL	L LAST ORDER DATE:03/27/98	3	25	2.83	500	†
MC14016BCL	L CMOSQUAD ANALOG SW/MUX	3	25	2.28	500	†	MC14035BCP	L CMOS4-BIT S/R	2	25	.65	500	†
MC14016BCP	L CMOSQUAD ANALOG SW/MUX	1	25	.36	500	†	MC1404P5	L PRECISION VOLT REGULATOR	N	50	.87	1000	†
MC14016BD	L CMOSQUAD ANALOG SW/MUX	2	55	.38	55	†	MC14040BCL	L CMOS12-BIT BINARY CNT	2	25	1.98	500	†
MC14016BDR2	L QD ANALOG STCH/QD MULTIPL	2	2500	.40	2500	†	MC14040BCP	L CMOS12-BIT BINARY CNT	1	25	.59	500	†
MC14017BCL	L CMOSDECADE CNTR/DIVIDER	2	25	2.39	500	†	MC14040BD	L CMOS12-BIT BINARY CNT	2	48	.61	48	†
MC14017BCP	L CMOSDECADE CNTR/DIVIDER	1	25	.61	500	†	MC14040BDR2	L 12 BIT BINARY COUNTER	2	2500	.63	2500	†
MC14017BD	L CMOSDECADE CNTR/DIVIDER	2	48	.63	48	†	MC14042BCL	L CMOSQUAD LATCH	3	25	3.17	500	†
MC14017BDR2	L DECADE COUNTER/DIVIDER	2	2500	.65	2500	†	MC14042BCP	L CMOSQUAD LATCH	2	25	.45	500	†
MC14018BCP	L CMOSPRESET DIV BY NCNTR	2	25	.68	500	†	MC14042BDR2	L QUAD LATCH	2	2500	.49	2500	†
MC14020BCL	L CMOS14-BIT BINARY CNTR	2	25	2.03	500	†	MC14043BCL	L CMOSQUAD NOR R-SLATCH	2	25	2.03	500	†

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† = \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	PC	Qty	Per Resale Price	Sugg. Price	Factory Order Incrmt
MC14043BCP	L CMOS QUAD NOR R-SLATCH	1	25	.59	500	†
MC14043BD	L CMOS QUAD NOR R-SLATCH	2	48	.61	48	†
MC14043BDR2	L QUAD NOR R-SLATCH	2	2500	.63	2500	†
MC14044BCP	L CMOS QUAD NAND R-SLATCH	2	25	.59	500	†
MC14044BDR2	L QUAD NOR R-SLATCH	2	2500	.63	2500	†
MC14046BCL	L CMOS PHASE-LOCKED LOOP	2	25	2.25	500	†
MC14046BCP	L CMOS PHASE-LOCKED LOOP	1	25	.68	500	†
MC14046BDW	L PHASE LOCKED LOOP	2	47	.70	47	†
MC14046BDWR2	L PHASE LOCKED LOOP	2	1000	.72	1000	†
MC14049BCP	L HEX INVERT/BUFFER	1	25	.32	500	†
MC14049BD	L HEX INVERTER/BUFFER	2	48	.34	48	†
MC14049BDR2	L HEX INVERTER/BUFFER	2	2500	.36	2500	†
MC14049UBCL	L CMOS HEX INVERTING BUFFER	1	25	1.46	500	†
MC14049UBCP	L CMOS HEX INVERTING BUFFER	1	25	.32	500	†
MC14049UBD	L CMOS HEX INVERTING BUFFER	2	48	.34	48	†
MC14049UBDR2	L HEX INVERTER/BUFFER	2	2500	.36	2500	†
MC14050BCL	L CMOS HEX NON-INV BUFFER	2	25	1.39	500	†
MC14050BCP	L CMOS HEX NON-INV BUFFER	1	25	.36	500	†
MC14050BCPD	L LAST ORDER DATE:03/27/98	3	25	1.20	500	†
MC14050BD	L CMOS HEX NON-INV BUFFER	2	48	.38	48	†
MC14050BDR2	L HEX BUFFER	2	2500	.40	2500	†
MC14051BCL	L CMOS8-CHANNEL MUX	2	25	1.58	500	†
MC14051BCP	L CMOS8-CHANNEL MUX	1	25	.50	500	†
MC14051BD	L CMOS8-CHANNEL MUX	1	48	.52	48	†
MC14051BDR2	L 8-CHANNEL ANALOG MULTIPLEX	1	2500	.54	2500	†
MC14051BDT	L CMOS8-CHANNEL MUX	N	96	.86	96	†
MC14052BCL	L CMOS DUAL4-CHANNEL MUX	2	25	1.89	500	†
MC14052BCP	L CMOS DUAL4-CHANNEL MUX	1	25	.50	500	†
MC14052BD	L CMOS DUAL4-CHANNEL MUX	1	48	.52	48	†
MC14052BDR2	L DUAL4-CHL ANALOG MULTIPLEX	2	2500	.54	2500	†
MC14053BCL	L CMOS TRIPLE2-CHANNEL MUX	2	25	1.80	500	†
MC14053BCP	L CMOS TRIPLE2-CHANNEL MUX	1	25	.50	500	†
MC14053BD	L CMOS TRIPLE2-CHANNEL MUX	1	48	.52	48	†
MC14053BDR2	L TRIPLE2-CHL ANALOG MULTIP	2	2500	.54	2500	†
MC14060BCL	L CMOS14-STG BIN CTR/OSC	2	25	2.39	500	†
MC14060BCP	L CMOS14-STG BIN CTR/OSC	1	25	.58	500	†
MC14060BCPD	L LAST ORDER DATE:03/27/98	3	25	1.80	500	†
MC14060BD	L CMOS14-STG BIN CTR/OSC	1	48	.59	48	†
MC14060BDR2	L 14-BIT BIN COUNT & OSCIL	2	2500	.61	2500	†
MC14066BCL	L CMOS QUAD ANALOG SWITCH	2	25	1.15	500	†
MC14066BCP	L CMOS QUAD ANALOG SWITCH	1	25	.36	500	†
MC14066BD	L CMOS QUAD ANALOG SWITCH	1	55	.38	55	†
MC14066BDR2	L CMOS QUAD ANALOG SWITCH	2	2500	.40	2500	†
MC14066BDT	L CMOS QUAD ANALOG SWITCH	N	96	.72	96	†
MC14067BCP	L CMOS16-CH ANALOG MUX/DEM	1	15	1.71	15	†

Type No.	Grp/Description	PC	Qty	Per Resale Price	Sugg. Price	Factory Order Incrmt
MC14067BDWR2	L ANALOG MULTIPLEX/DEMUTPL	2	1000	1.76	1000	†
MC14068BCP	L CMOS8-I NAND GATE	2	25	.27	500	†
MC14069UBCL	L CMOS HEX INVERTER	2	25	1.13	500	†
MC14069UBCP	L CMOS HEX INVERTER	1	25	.27	500	†
MC14069UBD	L CMOS HEX INVERTER	2	55	.29	55	†
MC14069UBDR2	L HEX INVERTER	2	2500	.31	2500	†
MC14069UBDT	L CMOS HEX INVERTER	N	96	.63	96	†
MC14069UBDTR2	L CMOS HEX INVERTER	N	2500	.63	2500 ★	†
MC14070BCL	L CMOS QUAD EX-OR GATE	2	25	1.13	500	†
MC14070BCP	L CMOS QUAD EX-OR GATE	1	25	.27	500	†
MC14070BD	L CMOS QUAD EX-OR GATE	2	55	.29	55	†
MC14070BDR2	L QUAD EXCLUSIVE OR GATE	2	2500	.31	2500	†
MC14071BCL	L CMOS QUAD2-I OR GATE	2	25	1.13	500	†
MC14071BCP	L CMOS QUAD2-I OR GATE	1	25	.27	500	†
MC14071BD	L CMOS QUAD2-I OR GATE	2	55	.29	55	†
MC14071BDR2	L QUAD2-INPUT OR GATE	2	2500	.31	2500	†
MC14072BCP	L CMOS DUAL4-I OR GATE	2	25	.27	500	†
MC14073BCL	L CMOS TRIPLE3-I AND GATE	3	25	2.21	500	†
MC14073BCP	L CMOS TRIPLE3-I AND GATE	1	25	.27	500	†
MC14073BDR2	L TRIPLE3-INPUT OR GATE	2	2500	.31	2500	†
MC14075BCL	L CMOS TRIPLE3-I OR GATE	3	25	1.60	500	†
MC14075BCP	L CMOS TRIPLE3-I OR GATE	1	25	.27	500	†
MC14075BDR2	L TRIPLE3-INPUT OR GATE	2	2500	.31	2500	†
MC14076BCL	L LAST ORDER DATE:03/27/98	3	25	3.03	500	†
MC14076BCP	L CMOS QUAD D REGISTER	2	25	.63	500	†
MC14077BCL	L LAST ORDER DATE:03/27/98	3	25	2.31	500	†
MC14077BCP	L CMOS QUAD EX-NOR GATE	1	25	.27	500	†
MC14077BDR2	L QUAD EXCLUSIVE NOR GATE	2	2500	.31	2500	†
MC14078BCP	L CMOS8-I NOR GATE	2	25	.27	500	†
MC14078BDR2	L 8-INPUT NOR GATE	2	2500	.31	2500	†
MC14081BCL	L CMOS QUAD2-I AND GATE	2	25	1.13	500	†
MC14081BCP	L CMOS QUAD2-I AND GATE	1	25	.27	500	†
MC14081BD	L CMOS QUAD2-I AND GATE	2	55	.29	55	†
MC14081BDR2	L QUAD2-INPUT AND GATE	2	2500	.31	2500	†
MC14082BCL	L CMOS DUAL4-I AND GATE	3	25	2.21	500	†
MC14082BCP	L CMOS DUAL4-I AND GATE	2	25	.27	500	†
MC14093BCL	L CMOS QUAD2-I NAND S.T.	2	25	1.13	500	†
MC14093BCP	L CMOS QUAD2-I NAND S.T.	1	25	.34	500	†
MC14093BD	L CMOS QUAD2-I NAND S.T.	1	55	.36	55	†
MC14093BDR2	L QUAD2-I NAND SCHMT TRIGR	2	2500	.38	2500	†
MC14094BCL	L CMOS8-BIT SHIFT/ST REG.	3	25	3.15	500	†
MC14094BCP	L CMOS8-BIT SHIFT/ST REG.	1	25	.54	500	†
MC14094BD	L CMOS8-BIT SHIFT/ST REG.	2	48	.56	48	†
MC14094BDR2	L 8-BIT COMPT SHT STORE LAT	2	2500	.58	2500	†
MC14099BCP	L CMOS8-BIT ADDRESS LATCH	2	25	.68	500	†

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrmnt	
MC14099BDW	L CMOS8-BIT ADDRESS LATCH	2	47	.72	47	†
MC14099BDWR2	L 8-BIT ADDRESSBL LATCH	2	1000	.76	1000	†
MC14106BCL	L CMOS HEX SCHMITT TRIGGER	3	25	2.31	500	†
MC14106BCP	L CMOS HEX SCHMITT TRIGGER	1	25	.36	500	†
MC14106BD	L CMOS HEX SCHMITT TRIGGER	2	55	.38	55	†
MC14106BDR2	L HEX SCHMIDT TRIGGER	2	2500	.40	2500	†
MC1413BD	L LIN PER DRVR ARRAY	2	48	.77	48	†
MC1413BP	L LIN PER DRVR ARRAY	2	25	.77	500	†
MC1413D	L LIN PERIPHERAL DRVR ARRAY	1	48	.61	48	†
MC1413DR2	L PERIPHERAL DRVR ARRAY	1	2500	.64	2500	†
MC1413P	L LIN PERIPHERAL DRVR ARRAY	1	25	.61	500	†
MC141540P4	C MONITOR ON SCREEN DISPLAY	N	25	3.46	25	
MC141541P	C MONITOR ON CREEN DISPLAY	N	25	3.79	25	
MC141543P	C MONITOR ON SCREEN DISPLAY	N	25	3.79	25	
MC1416BD	L LIN PER DRVR ARRAY	2	48	.77	48	†
MC1416BP	L LIN PER DRVR ARRAY	2	25	.77	500	†
MC1416D	L LIN PERIPHERAL DRVR ARRAY	N	48	.61	48	†
MC1416DR2	L LIN PERIPHERAL DRVR ARRAY	N	2500	.64	2500	†
MC1416P	L LIN PERIPHERAL DRVR ARRAY	1	25	.61	500	†
MC14161BCP	L CMOS4 BIT BINARY CNTR	2	25	.61	500	†
MC141622AFT	C 2H COMB FILTER-NTSC	N	50	9.98	50	
MC141624FU	C 1H COMB FILTER	N	90	3.99	90	
MC141627FT	C ADVNCD PAL COMB FLTER-II	N	50	10.08	50	
MC14174BCL	L CMOS HEX D-FF	2	25	2.16	500	†
MC14174BCP	L CMOS HEX D-FF	2	25	.54	500	†
MC14174BDR2	L HEX D FLIP-FLOP	2	2500	.58	2500	†
MC14175BCL	L CMOS QUADD-TYPE FF	3	25	3.03	500	†
MC14175BCP	L CMOS QUADD-TYPE FF	2	25	.54	500	†
MC14175BCPD	L LAST ORDER DATE:03/27/98	3	25	1.80	500	†
MC14175BDR2	L QUADD FLIP-FLOP	2	2500	.58	2500	†
MC143120B1DW	C NEURONIC	1	22	6.41	22	B
MC143150B1FU1	C NEURON-EXTERNAL MEMORY	N	250	7.81	250	B
MC1436CD	L LIN HI VOLT/INT COMPO.A.	3	98	1.76	98	†
MC1436CP1	L LIN HI VOLT/INT COMPO.A.	2	50	.64	1000	†
MC1436D	L LIN HI VOLT/INT COMPO.A.	3	98	1.84	98	†
MC1436P1	L LIN HI VOLT/INT COMPO.A.	2	50	.67	1000	†
MC144110DW	L CMOS HEX D/A CONV6-BIT	2	38	5.16	38	S P
MC144110P	L CMOS HEX D/A CONV6 BIT	2	20	5.16	20	S P
MC144111DW	L CMOS QUADD/A CONV6 BIT	2	47	3.81	47	S P
MC144111P	L CMOS QUADD/A CONV6 BIT	2	25	3.81	25	S P
MC144143P2	C LAST ORDER DATE:12/12/97	N	20	3.79	20	
MC14443P	L LAST ORDER DATE:12/13/97	2	25	4.26	25	
MC14447P	L CMOS8-BIT A/D SUBSYSTEM	2	25	7.37	25	
MC14467P1	A CMOS SMOKE DETECTOR, ION	2	25	1.06	25	
MC14468P	A CMOS SMOKE DETECTOR, ION	N	25	1.23	25	★

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrmnt	
MC14469P	C CMOS ASYN RECEIVER/TRANS	1	9	3.99	9	
MC14489DW	C LED DISPLAY/LAMP DRIVER	1	38	2.47	38	
MC14489P	C LED DISPLAY/LAMP DRIVER	1	18	2.47	18	
MC14490DW	L CMOS HEX BOUNCE ELIMINAT	1	47	4.32	47	S †
MC14490L	L CMOS HEX BOUNCE ELIMINAT	2	25	6.80	25	S †
MC14490P	L CMOS HEX BOUNCE ELIMINAT	1	25	4.32	25	S †
MC14490PD	L LAST ORDER DATE:03/27/98	2	25	4.50	25	S †
MC14495P1	C CMOS HEX TO7-SEG DRIVER	1	25	1.93	25	
MC14499P	C LAST ORDER DATE:03/04/98	1	20	2.39	20	
MC14500BCP	L CMOS1-BIT ICU	2	25	6.18	500	S P †
MC145000FN	C CMOS LCD DISP DVR MASTER	2	37	5.12	37	
MC145000P	C CMOS LCD DISP DVR MASTER	2	15	4.46	15	
MC145001FN	C CMOS LCD DISP DVR SLAVE	2	37	4.44	37	S
MC145001P	C CMOS LCD DISP DVR SLAVE	2	20	3.86	20	
MC145010DW	A SMOKE DET, PHOTO WITH I/O	N	47	2.54	47	★
MC145010P	A SMOKE DET, PHOTO WITH I/O	2	25	2.54	25	
MC145012DW	A PHOTO SMOKE DET/NFPA TONE	N	47	2.54	47	★
MC145012P	A PHOTO SMOKE DET/NFPA TONE	N	25	2.54	25	★
MC14502BCL	L LAST ORDER DATE:03/27/98	3	25	3.18	500	†
MC14502BCP	L CMOS STROBE HEX INV/BUFFR	2	25	.63	500	†
MC145026D	L CMOS REMOTE CONT ENCODER	1	48	1.51	48	
MC145026P	L CMOS REMOTE CONT ENCODER	1	25	1.51	25	
MC145027DW	L CMOS REMOTE CONT DECODER	2	47	2.15	47	
MC145027P	L CMOS REMOTE CONT DECODER	2	25	2.15	25	
MC145028P	L CMOS REMOTE CONT DECODER	2	25	2.15	25	
MC14503BCL	L CMOS HEX3-STATE BUFFER	2	25	2.16	500	†
MC14503BCP	L CMOS HEX3-STATE BUFFER	1	25	.52	500	†
MC14503BD	L CMOS HEX3-STATE BUFFER	2	48	.45	48	†
MC14503BDR2	L HEX3-STATE BUFFER	2	2500	.49	2500	†
MC14504BCL	L CMOS HEX LEVEL SHIFTER	2	25	2.27	500	†
MC14504BCP	L CMOS HEX LEVEL SHIFTER	1	25	1.17	500	†
MC14504BD	L CMOS HEX LEVEL SHIFTER	2	48	1.17	48	S P †
MC14504BDR2	L HX TTL/CMOS-CMOS LEVL SHF	2	2500	1.20	2500	S P †
MC145040DW	L CMOS8BIT A/D SERL INTERF	N	38	3.27	38	
MC145040P	L CMOS8-BIT A/D SERIAL INT	2	18	3.27	18	
MC145041DW	L CMOS8BIT A/D SERL INTERF	1	38	3.27	38	
MC145041DWR2	L CMOS8BIT A/D SERL INTERF	2	1000	3.38	1000	
MC145041P	L CMOS8-BIT A/D SERIAL INT	1	18	3.27	18	
MC145050DW	L 10-BIT A/D CONV W/SERIAL	N	38	3.76	38	
MC145050P	L 10-BIT A/D CONV W/SERIAL	2	18	3.76	18	
MC145051DW	L 10-BIT11 CHANNEL SPI	1	38	3.76	38	
MC145051P	L 10-BIT11 CHANNEL SPI	1	18	3.76	18	
MC145053D	L 10-BIT5 CHAN A/D	2	55	3.20	55	
MC145053P	L 10-BIT5 CHAN A/D	2	25	3.20	25	
MC145073DW	C 16BIT STEREO A/D	N	30	7.18	30	

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per Unit Sugg.		Factory Order	
		PC	Qty	Resale Price	Price Incrmt
MC145074D	C DUALSIGMA-DELTAMODULATR	N	48	1.93	48
MC14508BCL	L CMOSDUAL4-BITLATCH	3	15	6.73	15 †
MC14508BCP	L CMOSDUAL4-BITLATCH	2	15	1.76	15 †
MC14510BCP	L CMOSBCDU/D CTNR	2	25	.70	500 †
MC145106DW	L FREQSYNPHASELOCKLOOP	2	38	3.89	38 S P
MC145106P	L CMOSPLL FREQSYNTHESIZER	2	20	3.89	20 S P
MC14511BCL	L CMOSBCD TO7SEGL/DEC/DR	3	25	3.18	500 †
MC14511BCP	L CMOSBCD TO7SEGL/DEC/DR	1	25	.68	500 †
MC14511BDWR2	L BCD TO7SEGLTCH/DEC/DRI	2	1000	.76	1000 †
MC14512BCL	L CMOS8-CHDATASELECT	3	25	3.06	500 †
MC14512BCP	L CMOS8-CHDATASELECT	1	25	.63	500 †
MC14512BDR2	L 8-CHANNELDATASELECTOR	2	2500	.67	2500 †
MC14513BCP	L CMOSBCD TO7-SEGDRIVER	2	20	2.03	20 S P †
MC14514BCL	L LASTORDERDATE:03/27/98	3	15	5.39	15 †
MC14514BCP	L CMOS4-BITLATCH/DECODER	1	15	1.22	15 †
MC145145P2	L CMOS4BIT PLL FREQSYNTH	N	20	6.02	20 ★ S P
MC145146P2	L PLL FREQSYNTH INPUT	N	18	6.13	18 ★ S P
MC145149P	L SERIALINPUT DUALPLL	N	18	9.35	18 ★ S P
MC14515BCL	L LASTORDERDATE:03/27/98	3	15	10.57	15 †
MC14515BCP	L CMOS4-BITLATCH/DECODER	2	15	1.22	15 †
MC145151DW2	L CMOSFREQSYNTHPARALLEL	1	26	6.45	26
MC145151P2	L CMOSFREQSYNTHPARALLEL	1	13	6.45	13
MC145152DW2	L CMOSFREQSYNTHPARALLEL	1	26	8.39	26
MC145152P2	L CMOSFREQSYNTHPARALLEL	1	13	8.39	13
MC145155DW2	L CMOSFREQSYNTHSERIAL	N	38	5.05	38 ★
MC145155P2	L CMOSFREQSYNTHSERIAL	1	20	4.52	20
MC145156DW2	L CMOSFREQSYNTHSERIAL	2	38	5.05	38
MC145156P2	L CMOSFREQSYNTHSERIAL	2	18	5.05	18
MC145157DW2	L CMOSFREQSYNTHSERIAL	2	47	5.16	47
MC145157DW2R2	L CMOSFREQSYNTHSERIAL	2	1000	5.27	1000
MC145157P2	L CMOSFREQSYNTHSERIAL	1	25	5.16	25
MC145158DW2	L CMOSFREQSYNTHSERIAL	1	47	5.16	47
MC145158DW2R2	L FREQSYNTHSERINPUTPLL	2	1000	5.27	1000
MC145158P2	L CMOSFREQSYNTHSERIAL	2	25	5.16	25
MC145159DW1	L CMOSPLL FREQSYN SERIAL	2	38	9.89	38 S P
MC14516BCL	L CMOSBINARY U/D CNTR	2	25	2.34	500 †
MC14516BCP	L CMOSBINARY U/D CNTR	1	25	.59	500 †
MC14516BDR2	L CMOSBINARY U/D CNTR	2	2500	.61	2500 †
MC145162D	L UNIVERSAL DUALPHASE	N	48	2.26	48 S P
MC145162D1	L UDPLL	N	48	2.60	48 S P
MC145162P	L UNIVERSAL DUALPHASE	N	25	2.26	500 S P
MC145162P1	L UDPLL	N	25	2.60	500 S P
MC145163P	L BCDINPT FREQSYNTHESIZER	N	13	8.06	13 ★ S P
MC145165P	L PROGRAMMABLEDPLL	N	25	4.09	500 ★ S P
MC145166P	L CMOSDUAL LOOPPLLBCD	N	25	3.74	500 ★ S P

Type No.	Grp/Description	Per Unit Sugg.		Factory Order	
		PC	Qty	Resale Price	Price Incrmt
MC145167P	L CMOSDUAL LOOPPLL SERIAL	N	25	1.61	500 ★ S P
MC145168P	L CORDLESSTELEPHONE	N	25	3.12	500 ★ S P
MC14517BCP	L CMOSDUAL64-BITSTAT S/R	2	25	1.31	500 †
MC14517BDW	L CMOSDUAL64-BITSTAT S/R	2	47	1.33	47 †
MC145170DT1	L 185MHZPLL	N	77	3.31	77 S P
MC145170DT1R2	L 185MHZPLL	2	2500	4.06	2500
MC145170D1	L 185MHZPLL	N	48	3.66	48
MC145170D1R2	L 185MHZPLL	2	2500	3.76	2500
MC145170P1	L 185MHZPLL	N	25	3.06	25 S P
MC145173DW	C AM/FM FREQSYNTH	N	30	2.93	30
MC14518BCL	L CMOSDUALBCDUP CNTR	2	25	2.39	500 †
MC14518BCP	L CMOSDUALBCDUP CNTR	1	25	.68	500 †
MC14518BDWR2	L DUALBCDUP COUNTER	2	1000	.72	1000 †
MC14519BCP	L CMOS4-BITAND/ORSELECT	2	25	.45	500 †
MC14519BDR2	L 4-BITAND/ORSELECTOR	2	2500	.49	2500 †
MC145190DT	L 1.1GHZPLL FREQSYNTH	N	75	3.60	75 S P
MC145190F	L 1.1GHZPLL FREQSYNTH	N	40	3.60	40 S P
MC145190FR2	L 1.1GHZPLL	2	1000	3.69	1000 S P
MC145191DT	L 1.1GHZPLL FREQSYNTH	N	75	3.60	75 S P
MC145191EVK	L PLL EVAL BOARD	N	1	430.00	1
MC145191F	L 1.1GHZPLL FREQSYNTH	1	40	3.60	40 S P
MC145191FR2	L 1.1GHZPLL	2	1000	3.69	1000 S P
MC145192DT	L 1.1GHZPLL FREQSYNTH	N	75	3.60	75 S P
MC145192EVK	L 1.1GHZPLL FREQSYNTEVAL	N	1	537.50	1 ★
MC145192F	L 1.1GHZPLL FREQSYNTH	N	40	3.60	40 S P
MC145192FR2	L 1.1GHZPLL	2	1000	3.69	1000 S P
MC14520BCL	L CMOSDUALBINARYUP CNTR	2	25	2.43	500 †
MC14520BCP	L CMOSDUALBINARYUP CNTR	1	25	.63	500 †
MC14520BDWR2	L DUALBINARYUP COUNTER	2	1000	.67	1000 †
MC145200DT	L 2.0GHZPLL	N	75	5.56	75 S P
MC145200F	L 2GHZPLL FREQSYNTH	N	40	5.56	40 S P
MC145201DT	L 2.0GHZPLL	N	75	5.56	75 S P
MC145201F	L 2GHZPLL FREQSYNTH	N	40	5.56	40 S P
MC145202DT	L 2CHIP2.0GHZPLL	N	75	5.83	75 S P
MC145202EVK	L 2.0GHZPLL FREQSYNTEVAL	N	1	537.50	1 ★
MC145202F	L 2.0GHZPLL-3V	N	38	5.83	38 S P
MC14521BCL	L CMOS24-STGFREQDIVIDER	3	25	3.39	500 †
MC14521BCP	L CMOS24-STGFREQDIVIDER	1	25	.61	500 †
MC14521BD	L CMOS24-STGFREQDIVIDER	2	48	.61	48 †
MC14521BDR2	L 24-STAGEFREQUENCYDIVIDE	2	2500	.63	2500 †
MC14522BCP	L CMOSPROG. BCD DOWN CNTR	2	25	.86	500 †
MC145220DT	L DUAL1.1GHZPLL FREQSYN	N	75	3.33	75 S P
MC145220EVK	L DUAL1.1GHZPLL FREQSYNT	N	1	537.50	1 ★
MC145220F	L DUAL1.1GHZPLL FREQSYNT	N	40	3.60	40 S P
MC14526BCL	L CMOSPROG4-BITBIN CTR	3	25	3.33	500 †

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrrmnt	
MC14526BCP	L CMOS PROG4-BIT BIN CTR	2	25	.81	500	†
MC14527BCP	L CMOS BCD RATE MULT	2	25	.72	500	†
MC14528BCL	L CMOS DUAL MONO MULTIVIB	2	25	1.87	500	†
MC14528BCP	L CMOS DUAL MONO MULTIVIB	1	25	.72	500	†
MC14528BDR2	L DUAL MONOSTABLE MULTIVIBR	2	2500	.74	2500	†
MC14529BCP	L CMOS DUAL4-CH DATA SELEC	2	25	.99	500	†
MC14529BD	L CMOS DUAL4-CH DATA SELEC	2	48	1.01	48	†
MC14531BDR2	L 12-BIT PARITY TREE	2	2500	.92	2500	†
MC14532BCL	L LAST ORDER DATE:03/27/98	3	25	2.76	500	†
MC14532BCP	L CMOS 8 BIT PRIORITY ENC	2	25	.72	500	†
MC14532BDR2	L 8-BIT PRIORITY ENCODER	2	2500	.76	2500	†
MC14534BCL	L LAST ORDER DATE:01/30/98	3	15	11.06	15	†
MC14534BCP	L LAST ORDER DATE:01/30/98	2	15	3.15	15	†
MC14536BCL	L CMOS PROGRAMMABLE TIMER	2	25	2.79	500	†
MC14536BCP	L CMOS PROGRAMMABLE TIMER	1	25	1.15	500	†
MC14536BDW	L CMOS PROGRAMMABLE TIMER	2	47	1.17	47	†
MC14536BDR2	L PROGRAMMABLE COUNTER	2	1000	1.19	1000	†
MC14538BCL	L CMOS DUAL MONO MULTIVIB	1	25	1.85	500	†
MC14538BCP	L CMOS DUAL MONO MULTIVIB	1	25	.81	500	†
MC14538BD	L DUAL PRECISION MONOSTABLE	1	48	.83	48	†
MC14538BDR2	L DUAL PRECISION MONOSTABLE	2	2500	.85	2500	†
MC14538BDW	L CMOS DUAL MONO MULTIVIB	1	47	.83	47	†
MC14538BDR2	L DUAL PRECISION MONOSTABLE	2	1000	.85	1000	†
MC14539BCP	L CMOS DUAL4-CH DATA SEL	2	25	.72	500	S †
MC14539BDR2	L DUAL4-CHN DATA SEL/MULTI	2	2500	.76	2500	S †
MC145403DW	C 3X5 RS232 DRIVER/RECEIVER	2	38	1.53	38	
MC145403P	C 3X5 RS232 DRIVER/RECEIVER	2	18	1.53	18	
MC145404DW	C 4X4 RS232 DRIVER/RECEIVER	2	38	1.53	38	
MC145404P	C 4X4 RS232 DRIVER/RECEIVER	2	18	1.53	18	
MC145406DW	C RS232 DRIVER/RECEIVER	1	47	1.13	47	
MC145406DWR2	C RS-232-CDRIVERS/RECEIVER	1	1000	1.20	1000	
MC145406P	C RS-232 DRIVER/RECEIVER	1	25	1.13	25	
MC145406SD	C 3.3 RS232 TRANSCEIVER	N	77	1.25	77	
MC145407DW	C RS232 DRVR/RCVR,5V ONLY	1	38	2.06	38	
MC145407DWR2	C RS232 DRVR/REC5V ONLY	2	1000	2.13	1000	
MC145407P	C RS232, DRVR/RCVR,5V ONLY	1	18	2.06	18	
MC145408DW	C 5X3 TS232 DRIVER/RECEIVER	2	30	1.69	30	
MC14541BCL	L CMOS PROG. OSC-TIMER	3	25	2.42	500	†
MC14541BCP	L CMOS PROG. OSC-TIMER	1	25	.52	500	†
MC14541BD	L CMOS PROG. OSC-TIMER	2	55	.52	55	†
MC14541BDR2	L PROGRAMMABLE OSCIL-TIMER	2	2500	.56	2500	†
MC145421DW	C 160KBPS UDLT2	N	30	7.75	30	
MC145421P	C 160KBPS UDLT2	N	15	7.75	15	
MC145422DW	C UNIV DIGT-LOOP TRANSCEIVER	N	30	7.05	30	
MC145422P	C 80KBPS UDLT1 MASTER	1	15	7.05	15	

Type No.	Grp/Description	Per PC	Unit Qty	Sugg- Resale Price	Factory Order Incrrmnt	
MC145425DW	C 160KBPS UDLT2	N	30	7.75	30	
MC145425P	C 160KBPS UDLT2	N	15	7.75	15	
MC145426DW	C UNIV DIGT-LOOP TRANSCEIVER	N	30	7.05	30	
MC145426P	C 80KBPS UDLT1 SLAVE	N	15	7.05	15	
MC14543BCP	L CMOS BCD-TO-7SEGL/DE/DRV	1	25	.61	500	†
MC14543BD	L CMOS BCD-TO-7SEGL/DE/DRV	2	48	.63	48	†
MC14543BDR2	L BCD-TO-7 SEGLTH/DEC/DR	2	2500	.65	2500	†
MC145436ADW	C DTMF RECEIVER	1	47	1.60	47	
MC145436AP	C DTMF RECEIVER	1	25	1.60	25	
MC14544BCP	L LAST ORDER DATE:01/30/98	2	20	3.33	20	S P †
MC145442DW	C SINGLE CHIP 300BAUD MODEM	2	38	3.76	38	
MC145442P	C SNGL CHP 300BAUD MODEM	2	18	3.76	18	
MC145443ADW	C MODEM BELL103	1	38	3.76	38	
MC145443P	C SNGL CHP 300BAUD MODEM	1	18	3.76	18	
MC145444DW	C GASTELEMETER MODEM	N	38	6.72	38	
MC145444H	C GASTELEMETER MODEM	N	18	6.72	18	
MC145447DW	C CALLING LINE ID	2	47	2.39	47	
MC145447P	C CALLING LINE ID	2	25	2.39	25	
MC145453FN	C CMOS LCD33-SEG DR SERIAL	1	26	2.83	26	
MC145453P	C CMOS LCD33-SEG DR SERIAL	1	9	2.46	9	
MC14547BCL	L LAST ORDER DATE:01/30/98	3	25	4.06	500	S P †
MC14547BCP	L LAST ORDER DATE:01/30/98	2	25	1.88	500	S P †
MC145475DW	C ISDN "S&T" TRANSCEIVER	2	26	8.72	26	
MC145484DW	C 5V PCM CODEC/FILTER	N	38	2.69	38	B
MC145484DWR2	C 5V PCM CODEC/FILTER	2	1000	2.74	1000	B
MC145484SD	C 5V PCM CODEC/FILTER	N	66	2.96	66	B
MC145484SDR2	C 5V PCM CODEC/FILTER	2	1500	3.01	1500	B
MC14549BCL	L CMOS 8-BIT SAR CASCADE ABL	3	25	14.04	25	S P †
MC14549BCP	L CMOS 8-BIT SAR CASCADE ABL	2	25	8.53	25	S P †
MC1455BD	L TIMER	2	98	.36	98	†
MC1455BP1	L LIN TIMER	1	50	.36	1000	†
MC1455D	L LIN TIMING CIRCUIT (555)	2	98	.30	98	†
MC1455DR2	L LIN TIMING CIRCUIT T/R	N	2500	.33	2500	†
MC1455P1	L LIN TIMING CIRCUIT (555)	1	50	.30	1000	†
MC145502FN	C MONOCIRCUIT	2	37	7.26	37	
MC145502P	C 22 PIN CODEC/FILTER	2	15	6.92	15	
MC145503DW	C CODEC-FILTER PCMMONOCRCT	1	47	5.13	47	
MC145503P	C 16 PIN CODEC/FILTER	1	25	5.13	25	
MC145505DWR2	C FILTER PCMMONO-CIRCUIT	2	1000	5.20	1000	
MC145505P	C 16 PIN PCM MONOCIRCUIT	1	25	5.13	25	
MC14551BCP	L CMOS QUAD2-IN ANALOG MUX	1	25	1.63	500	S P †
MC14551BD	L CMOS QUAD2-IN ANALOG MUX	2	48	1.63	48	S P †
MC14551BDR2	L QUAD2-CHANNEL ANALG MUX	2	2500	1.67	2500	S P †
MC14553BCP	L CMOS3-DIGIT BCD CNTR	2	25	4.45	25	S †
MC145532DW	C ADAPTIVE DIFFERENTIAL PCM	1	47	7.71	47	

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	PC	Qty	Per Resale Price	Sugg. Price	Factory Order	Incrrmnt
MC145537EVK	C MC145540 EVAL BOARD	N	1	400.00	1	S	
MC145558BCP	L CMOS DUAL BIN DECODER	2	25	.47	500	†	
MC145558BDR2	L DUL BIN TO1-OF-4 DEC INV	2	2500	.49	2500	†	
MC145554DW	C MONOCIRCUIT	2	47	2.86	47		
MC145554DWR2	C MONOCIRCUIT	2	1000	2.93	1000		
MC145554P	C MONOCIRCUIT	1	25	2.86	25		
MC145557DW	C PCM CODEC - FILTER	N	47	2.86	47		
MC145557DWR2	C PCM CODEC - FILTER	N	1000	2.93	1000	★	
MC145557P	C PCM CODEC - FILTER	N	25	2.86	25		
MC145568BCP	L CMOS DUAL BIN DECODER	2	25	.49	500	†	
MC145568BDR2	L INDSTR L TIME BASE GENRATR	2	2500	.50	2500	†	
MC14557BCL	L CMOS1 TO64 BIT S/R	3	25	5.24	500	†	
MC14557BCP	L CMOS1 TO64 BIT S/R	2	25	2.07	500	†	
MC14557BDW	L CMOS1 TO64 BIT S/R	2	47	2.07	47	†	
MC145572FN	C ISDN2ND GENERATION UCHIP	N	26	20.63	26	B	
MC145572FNR2	C ISDN2ND GENERATION UCHIP	2	500	20.68	500	B	
MC145572PB	C ISDN2ND GENERATION UCHIP	1	160	17.19	160	B	
MC145572PBR2	C ISDN2ND GENERATION UCHIP	2	1500	17.24	1500	B	
MC145574DW	C ISDN SIT INTERFACE TRANSC	N	26	5.79	26	B	
MC145574PB	C ISDN SIT INTERFACE TRANSC	N	250	5.79	250	B	
MC14559BCP	L CMOS1-8 BIT SAR CASCADE	2	25	8.53	25	S P †	
MC14560BCL	L LAST ORDER DATE:01/30/98	3	25	6.06	25	†	
MC14560BCP	L LAST ORDER DATE:01/30/98	2	25	1.89	25	†	
MC14562BCL	L LAST ORDER DATE:03/27/98	3	25	14.67	25	S P †	
MC14562BCP	L CMOS128-BIT STAT S/R	2	25	5.72	25	S P †	
MC14566BCP	L CMOS IND. TIME BASE GEN	2	25	1.39	500	†	
MC14568BCL	L CMOS PHASE COMP/PROG CTR	3	25	13.82	25	S P †	
MC14568BCP	L CMOS PHASE COMP/PROG CTR	2	25	4.88	25	S P †	
MC14569BCL	L LAST ORDER DATE:03/27/98	2	25	3.35	500	S P †	
MC14569BCP	L CMOS DUAL PRG BCD/BICNTR	2	25	2.17	500	S P †	
MC145705DW	C DRIVER/RECEIVER	N	38	1.80	38		
MC145705P	C DRIVER/RECEIVER	N	18	1.80	18		
MC145706DW	C DRIVER/RECEIVER	N	38	1.80	38		
MC145706P	C DRIVER/RECEIVER	N	18	1.80	18		
MC145707P	C DRIVER/RECEIVER	N	15	1.85	15		
MC14572UBCP	L CMOS HEX GATE	2	25	.59	500	†	
MC14572UBDR2	L HEX GATE	2	2500	.61	2500	†	
MC14573D	L QUAD OP AMP	2	48	3.12	48		
MC14573DR2	L QUAD OP AMP	2	2500	3.23	2500		
MC14573P	L QUAD OP AMP	2	25	3.12	25		
MC14574P	L QUAD COMPARATOR	2	25	3.12	25		
MC145740F	C DTMF TRANSCEIVER	N	40	5.99	40		
MC14575D	L DUAL OP AMP/COMPARATOR	2	48	3.12	48		
MC14575P	L DUAL OP AMP/COMPARATOR	1	25	3.12	25		
MC145750VFU	C PAI/4 QPSK ENCODER	N	90	6.98	90		

Type No.	Grp/Description	PC	Qty	Per Resale Price	Sugg. Price	Factory Order	Incrrmnt
MC14576CF	C DUAL VIDEO AMPLIFIER	N	94	.92	94		
MC14576CP	C DUAL VIDEO AMPLIFIER	N	50	.92	50		
MC14577CF	C DUAL VIDEO AMPLIFIER	N	94	.92	94		
MC14577CP	C DUAL VIDEO AMPLIFIER	N	50	.92	50		
MC1458CD	L LIN (DUAL MC1741) OP AMP	2	98	.33	98	†	
MC1458CP1	L LIN (DUAL MC1741) OP AMP	1	50	.33	1000	†	
MC1458D	L LIN (DUAL MC1741) OP AMP	2	98	.38	98	†	
MC1458DR2	L LIN DUAL MC1741 O.A. T/R	2	2500	.41	2500	†	
MC1458P1	L LIN (DUAL MC1741) OP AMP	2	50	.38	1000	†	
MC14580BCP	L CMOS4X4 MULTIPORT REG	3	15	6.61	15	S †	
MC14583BCP	L LAST ORDER DATE:01/30/98	2	25	.99	500	S †	
MC14584BCL	L CMOS HEX SCHMITT TRIG	2	25	1.15	500	†	
MC14584BCP	L CMOS HEX SCHMITT TRIG	1	25	.45	500	†	
MC14584BD	L CMOS HEX SCHMITT TRIG	2	55	.45	55	†	
MC14584BDR2	L HEX SCHMITT TRIGGER	2	2500	.49	2500	†	
MC14585BCL	L CMOS4-BIT MAG COMP	2	25	2.39	500	†	
MC14585BCP	L CMOS4-BIT MAG COMP	2	25	.68	500	†	
MC14585BDR2	L 4-BIT MAGNITUDE COMPARAT	2	2500	.72	2500	†	
MC14598BCPD	L LAST ORDER DATE:03/27/98	3	20	9.88	20	S P †	
MC14599BCP	L CMOS8-BIT ADDR LATCH	2	20	4.20	20	S P †	
MC1488D	L LIN QUAD232D LINE DRVR	1	55	.46	55	†	
MC1488DR2	L LIN QD232D LINE DRVR T/R	2	2500	.49	2500	†	
MC1488P	L LIN QUAD232D LINE DRVR	1	25	.46	500	†	
MC1489AD	L LIN RS232 RCVR	2	55	.46	55	†	
MC1489ADR2	L LIN RS232 RCVR	2	2500	.49	2500	†	
MC1489AP	L LIN QUAD232D LINE RCVR	1	25	.46	500	†	
MC1489D	L LIN RS232 RCVR	2	55	.46	55	†	
MC1489P	L LIN QUAD232D LINE RCVR	1	25	.46	500	†	
MC1490P	L LIN RF/IF/AUDIO AMPLIFIER	2	50	2.03	1000	S P	
MC1494P	L LIN4-QUADRANT MULTPLR	N	25	3.56	500	S P †	
MC1496BD	L LIN BAL MODULTR/DEMODULTR	N	55	.73	55	†	
MC1496BDR2	L MODULATOR/DEMODULATOR	2	55	.73	55	†	
MC1496BP	L LIN BAL MODULTR/DEMODULTR	N	25	.73	500	†	
MC1496D	L LIN BAL MODULTR/DEMODULTR	2	55	.58	55	†	
MC1496P	L LIN BAL MODULTR/DEMODULTR	1	25	.58	500	†	
MC16V1CPU20B1	F 16 BIT MCU,GPT,100 TQFP	N	420	7.56	420	B	
MC16Z1CFC16B1	F 16 BIT MCU,RAM,10 BIT A/D	1	180	12.65	180	B	
MC16Z1CFC20B1	F 16 BIT MCU	N	180	13.66	180	B	
MC16Z1CFC25B1	F 16 BIT MCU,RAM,10 BIT A/D	N	180	14.17	180	B	
MC16Z1CPV16B1	F 16 BIT MCU,RAM,10 BIT A/D	N	300	10.31	300	B	
MC16Z1CPV20B1	F 16 BIT MCU,RAM,10 BIT A/D	N	300	11.13	300	B	
MC16Z1CPV25B1	F 16 BIT MCU	N	300	11.54	300	B	
MC16Z2BCFC16B1	F AMCU16 BIT MCU2K SRAM	N	180	16.13	180	B	
MC16Z2BCFC20B1	F AMCU16 BIT2K SRAM	N	180	17.42	180	B	
MC16Z2BCPV16B1	F AMCU16 BIT MCU2K SRAM	N	300	13.78	300	B	

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per PC	Unit Qty	Sugg. Resale Price	Factory Order Price	Order Incrmnt
MC16Z2BCPV20B1	F AMCU16BIT2KSRAM	N	300	14.88	300	B
MC1648D	L MECL ULTGE-CNTRLLD OSCIL	1	98	3.55	98	
MC1648FN	L DIG QD PLASTIC PKG	2	46	6.33	46	
MC1648L	L MECL VLTGE-CNTRLLD OSCIL	2	25	6.95	25	
MC1648P	L MECL VLTGE-CNTRLLD OSCIL	1	25	3.52	25	
MC1650L	L MECL DUAL A/D COMPARATOR	2	25	19.90	25	†
MC1651L	L MECL DUAL A/D COMPARATOR	2	25	19.90	25	†
MC1658D	L VOLTAGE CONTR MULTIVIBR	N	48	4.47	48	
MC1658L	L MECL VOLT-CNTRLD MULTIVIB	3	25	9.64	25	
MC1658P	L MECL VOLT-CNTRLD MULTIVIB	2	25	4.47	25	
MC1660L	L MECL DUAL 4 INPUT GATE	2	25	11.42	25	†
MC1662L	L MECL DUAL 4 INPUT GATE	2	25	10.65	25	†
MC1670L	L MECL MASTER-SLAVE FF	2	25	10.53	25	†
MC1692L	L MECL QUAD LINE RECEIVER	2	25	10.65	25	†
MC1723BD	L VOLTAGE REGULATOR	2	55	.44	55	†
MC1723CD	L LIN (723) VOLT REG	2	55	.36	55	†
MC1723CP	L LIN (723) VOLT REG	2	25	.36	500	†
MC1741CP1	L LIN INT COMP/HIPERF O.A.	N	50	.67	1000 ★	†
MC1776CD	L LIN MCRPWR PROGRMBLO.A.	2	98	.90	98	†
MC1776CP1	L LIN MCRPWR PROGRMBLO.A.	2	50	.61	1000	†
MC26C31D	C EIA422 LINE DRIVER	N	48	1.04	48	
MC26C31P	C EIA422 LINE DRIVER	N	25	1.04	25	
MC26C32D	C EIA422 LINE DRIVER	N	48	1.04	48	
MC26C32P	C EIA422 LINE DRIVER	N	25	1.04	25	
MC26LS30D	L EIA-422/423 DRIVER	2	48	1.06	48	†
MC26LS30DR2	L EIA-422/423 DRIVER	2	2500	1.09	2500	†
MC2830D	L VOICE ACTIVATED SWITCH	2	98	1.76	98	S P
MC2830DR2	L VOICE ACTIVATED SWITCH	2	2500	1.76	2500	S P
MC2830P	L VOICE ACTIVATED SWITCH	2	50	1.76	1000	S P
MC2833D	L FM TRANSMITTER IC	2	48	.76	48	S P
MC2833DR2	L FM TRANSMITTER IC	2	2500	.76	2500	S P
MC2833P	L LIN LOW PWR FM XMTR SYS	2	25	.76	500	S P
MC3302DR2	L LIN QUAD COMP	2	2500	.44	2500	†
MC3302P	L LIN QUAD SNGL SPLY COMP	1	25	.44	500	†
MC33023DW	L HI-SPD PWM CONTROLLER	N	47	5.46	47	†
MC33023DWR2	L HI-SPD PWM CONTROLLER	2	1000	5.46	1000	†
MC33023P	L HI-SPD PWM CONTROLLER	N	25	5.46	500	†
MC33025P	L HI-SPD PWM CONTROLLER	N	25	6.08	500	†
MC3303D	L LIN QUAD DIFF INPT OP AMP	N	55	.42	55	†
MC3303DR2	L LIN QD DIFF INP OP AMP	2	2500	.45	2500	†
MC3303P	L LIN QUAD DIFF INPT OP AMP	2	25	.42	500	†
MC33030DW	L CONTROLLER DRIVER	2	47	5.83	47	S P †
MC33030DWR2	L CONTROLLER DRIVER	2	1000	4.88	1000	S P †
MC33030P	L LIN DC SRVOMTR CNTR/DRVR	1	25	4.70	25	S P †
MC33033DW	L LIN BRSLSDC MTR CNTRLR	N	38	2.84	38	S P †

Type No.	Grp/Description	Per PC	Unit Qty	Sugg. Resale Price	Factory Order Price	Order Incrmnt
MC33033P	L LIN BRSLSDC MTR CNTRLR	1	18	2.70	360	S P †
MC33035DW	L LIN BRSHLS DC MTR CNTRLR	2	30	3.35	30	S P †
MC33035DWR2	L LIN BRSHLS DC MTR CNTRLR	2	1000	3.74	1000	S P †
MC33035P	L BRSHLS DC MOTOR CNTRLR	1	15	2.88	15	S P †
MC33039D	L LIN CL-LOOP BRSH MTR ADPT	2	98	1.28	98	S P †
MC33039DR2	L LIN C1 LOOP BRUSHLES MOTR	2	2500	1.31	2500	S P †
MC33039P	L LIN CL-LOOP BRSH MTR ADPT	1	50	1.28	1000	S P †
MC33060AD	L PWM POWER SUPPLY CONTROL	2	55	1.87	55	S P †
MC33060ADR2	L SWTCHMODE PWM CONTROL CKT	2	2500	1.91	2500	S P †
MC33060AP	L LIN SWTCHMODE PWM CNTR CKT	N	25	1.87	500	S P †
MC33063AD	L LIN PULSE WIDTH MOD	N	98	2.56	98	†
MC33063ADR2	L PULSE WIDTH MOD	2	2500	2.60	2500	†
MC33063AP1	L LIN PWM CNTRL CRCT	1	50	2.56	1000	†
MC33063AVD	L DC BRUSHLES MTR CNTRL CKT	N	98	2.56	98	†
MC33064D-005	L LIN UNDRVOLTAG SNSNG CRCT	1	98	.96	98	†
MC33064D-5R2	L LIN UNDRVOLTAGE CRCT	N	2500	.99	2500	†
MC33064P-005	L LIN UNDRVOLTAG SNSNG CRCT	1	2000	.93	2000	†
MC33064P-5RA	L UNDER VOLT. CIRCUIT	2	2000	.96	2000	†
MC33064P-5RP	L UNDER VOLT. CIRCUIT	2	2000	.99	2000	†
MC33065DW	L LIN DL CRNT-MODE CNTRLR	N	47	2.70	47	S P †
MC33065DW-H	L LIN DL CRNT-MODE CNTRLR	N	47	2.70	47	S P †
MC33065DW-L	L LIN DL CRNT-MODE CNTRLR	N	47	2.70	47	S P †
MC33065P	L LIN DL CRNT-MODE CNTRLR	N	25	2.70	500	S P †
MC33065P-L	L LIN DL CRNT-MODE CNTRLR	N	25	2.70	500	S P †
MC33066DW	L LIN RESONANT MD CNTRL	2	47	5.08	47	S P †
MC33066P	L LIN RESONANT MD CNTRL	3	25	6.06	500	S P †
MC33067DW	L RESONANT SUPPLY CNTRL	2	47	3.98	47	S P †
MC33067P	L RESONANT SUPPLY CNTRL	2	25	3.76	500	S P †
MC33071AD	L LIN HI PRF/SNGL SPLY O.A.	2	98	1.29	98	†
MC33071ADR2	L LIN HI PRF/SNGL SPLY O.A.	2	2500	1.33	2500	†
MC33071AP	L LIN HI PRF/SNGL SPLY O.A.	2	50	1.29	1000	†
MC33071D	L LIN HI PRF/SNGL SPLY O.A.	N	98	1.12	98	†
MC33071DR2	L OP AMP	2	2500	1.16	2500	†
MC33071P	L LIN HI PRF/SNGL SPLY O.A.	2	50	1.12	1000	†
MC33072AD	L LIN HI PRF/SNGL SPLY O.A.	N	98	1.72	98	†
MC33072ADR2	L LIN OP AMP	2	2500	1.76	2500	†
MC33072AP	L LIN HI PRF/SNGL SPLY O.A.	2	50	1.72	1000	†
MC33072D	L LIN HI PRF/SNGL SPLY O.A.	1	98	1.14	98	†
MC33072DR2	L LIN HI PRF/SNGL SPLY O.A.	2	2500	1.18	2500	†
MC33072P	L LIN HI PRF/SNGL SPLY O.A.	1	50	1.14	1000	†
MC33074AD	L LIN HI PRF/SNGL SPLY O.A.	2	55	2.49	55	†
MC33074ADR2	L LIN HI PRF/SNGL SPLY O.A.	2	2500	2.17	2500	†
MC33074AP	L LIN HI PRF/SNGL SPLY O.A.	2	25	2.17	500	†
MC33074D	L LIN HI PRF/SNGL SPLY O.A.	1	55	1.55	55	†
MC33074DR2	L LIN QUAD OP AMPS	2	2500	1.89	2500	†

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† = \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device

EFFECTIVE DATE: JULY 5, 1997

COMMERCIAL COMPONENTS

Type No.	Grp/Description	Per PC	Unit Qty	Sugg. Resale Price	Factory Order Price	Order Incrmnt	
MC33074P	L LIN HI PRF/SNGL SPLY O.A.	1	25	1.85	500	†	
MC33076D	L DL BIPOLAR AMP	2	98	1.61	98	†	
MC33076DR2	L DL BIPOLAR AMP	2	2500	1.61	2500	†	
MC33076P1	L DL BIPOLAR AMP	2	50	1.61	1000	†	
MC33076P2	L DUAL AMPLIFIER	2	25	1.61	500	†	
MC33077D	L LIN HI PRF/SNGL SPLY O.A.	2	98	1.91	98	†	
MC33077DR2	L LIN HI PRF/SNGL SPLY O.A.	2	2500	1.96	2500	†	
MC33077P	L LIN DUAL/LOW NOISE OP AMP	2	50	1.91	1000	†	
MC33078D	L LIN DUAL/LOW NOISE OP AMP	1	98	1.18	98	†	
MC33078DR2	L LIN DUAL/LO NOISE OP AMP	2	2500	1.23	2500	†	
MC33078P	L LIN DUAL/LOW NOISE OP AMP	1	50	1.18	1000	†	
MC33079D	L LIN QUAD/LOW NOISE OP AMP	2	55	2.04	55	†	
MC33079DR2	L LIN QUAD/LO NOISE OP AMP	2	2500	2.09	2500	†	
MC33079P	L LIN QUAD/LOW NOISE OP AMP	1	25	2.04	500	†	
MC33091AD	L HI-SIDE TMOS DRIVER	N	98	1.76	98	S †	
MC33091ADR2	L HI-SIDE TMOS DRIVER	2	2500	1.53	2500	S †	
MC33091AP	L HI-SIDE TMOS DRIVER	N	50	1.48	1000	S †	
MC33092DWR2	L ALTERNATOR REGULATOR	2	1000	5.76	1000	S †	
MC33093DWR2	L TFI1	2	1000	4.68	1000	S †	
MC33094DWR2	L TFI-4	2	1000	5.59	1000	S †	
MC33095DR2	L IAR	2	2500	2.43	2500	S †	
MC33102D	L DUAL SLEEP MODE AMP	2	98	1.48	98	S P †	
MC33102DR2	L DUAL SLEEP MODE AMP	2	2500	1.53	2500	S P †	
MC33102P	L DUAL SLEEP MODE AMP	2	50	1.48	1000	S P †	
MC33110D	L COMPANDER	2	55	2.18	55	S P	
MC33110P	L COMPANDER	2	25	2.18	500	S P	
MC33111D	L COMPANDAR II	N	48	1.98	48	S P	
MC33111DR2	L COMPANDER II	2	2500	1.98	2500	S P	
MC33111P	L COMPANDAR II	N	25	1.98	500	S P	
MC33120FN	L HIGH VOLTAGE SLIC	2	37	11.29	37	S P	
MC33120FNR2	L HI VOLTAGE SLIC	2	500	11.29	500	S P	
MC33120P	L HIGH VOLTAGE SLIC	2	18	11.29	18	S P	
MC33121FN	L SLIC III	2	37	11.29	37	S P	
MC33121FNR2	L SLIC III	2	500	11.29	500	S P	
MC33121P	L SLIC III	2	18	11.29	360	S P	
MC33128D	L DECT POWER MGT IC	N	48	3.06	48	S P	
MC33128DR2	L DECT POWER MGT IC	N	2500	3.10	2500	S P	
MC33129D	L LIN HI PERF CUR MODE CNTR	2	55	3.33	55	S P	
MC33129DR2	L LIN HI PERF CUR MODE CNTR	2	2500	3.37	2500	S P	
MC33129P	L LIN HI PERF CUR MODE CNTR	2	25	3.33	500	S P	
MC33143DW	L DUAL HIGH SIDE SWITCH	N	30	7.02	30	S †	
MC33143DWR2	L DUAL HIGH SIDE SWITCH	2	1000	9.00	1000	S †	
MC33151D	L LIN HI-SPD DL MOSFT DRVR	2	98	2.11	98	†	
MC33151DR2	L DUAL MOSFET DRIVER	2	2500	2.15	2500	†	
MC33151P	L LIN HI-SPD DL MOSFT DRVR	2	50	2.11	1000	†	

Type No.	Grp/Description	Per PC	Unit Qty	Sugg. Resale Price	Factory Order Price	Order Incrmnt	
MC33151VD	L HI SPD DUAL MOSFET DRIVER	N	98	2.11	98	†	
MC33151VP	L HI SPD DUAL MOSFET DRIVER	N	50	2.11	1000	†	
MC33152D	L LIN HI-SPD DL MOSFT DRVR	2	98	2.11	98	†	
MC33152DR2	L MOSFET DRVR	2	2500	2.15	2500	†	
MC33152P	L LIN HI-SPD DL MOSFT DRVR	2	50	2.11	1000	†	
MC33153D	L IGBT GATE DRIVER IC	N	98	2.04	98	†	
MC33153DR2	L IGBT GATE DRIVER IC	2	2500	2.04	2500	†	
MC33153P	L SINGLE IGBT GATED DRIV. IC	N	50	2.04	1000	†	
MC33154D	L IGBT GATE DRIVER	N	98	1.94	98 ★	†	
MC33154P	L IGBT GATE DRIVER	N	50	1.94	1000 ★	†	
MC33160DW	L LIN MCROPROSSOR VOLT REG	2	47	2.90	47	S P †	
MC33160DWR2	L LIN MCROPROSSOR VOLT REG	2	1000	2.11	1000	S P †	
MC33160P	L LIN MCROPROSSOR VOLT REG	2	25	2.07	500	S P †	
MC33161D	L LIN UNIV VOLTAGE MONITOR	N	98	1.51	98	†	
MC33161DR2	L LIN UNIV VOLT MONITOR	2	2500	1.55	2500	†	
MC33161P	L LIN UNIV VOLTAGE MONITOR	N	50	1.51	1000	†	
MC33163DW	L LIN POWER SW REG	2	47	3.82	47	S P †	
MC33163DWR2	L POWER SWITCHING REGULATOR	2	1000	3.82	1000	S P †	
MC33163P	L LIN POWER SWITCHING REG	N	25	3.64	500	S P †	
MC33164D-003	L MICROPWR UNDRVOLT SENSOR	2	98	1.46	98	†	
MC33164D-005	L MICROPWR UNDERVOLT SENS	2	98	1.46	98	†	
MC33164D-3R2	L MCRP PWR UNDR VOLT SENSOR	2	2500	1.51	2500	†	
MC33164D-5R2	L MICROPWR UNDERVOLT SENSE	2	2500	1.51	2500	†	
MC33164DM-003	L UNDERVOLTAGE CIRCUIT	N	2500	1.31	2500	†	
MC33164DM-005	L UNDERVOLTAGE CIRCUIT	N	2500	1.31	2500	†	
MC33164P-003	L MICROPWR UNDRVOLT SENSOR	2	2000	1.46	2000	†	
MC33164P-005	L MICROPWR UNDERVOLT SENS	1	2000	1.46	2000	†	
MC33164P-3RA	L UNDERVOLT SENSE	2	2000	1.44	2000	†	
MC33164P-3RP	L UNDERVOLT SENSE	2	2000	1.44	2000	†	
MC33164P-5RA	L UNDERVOLT SENSE	2	2000	1.44	2000	†	
MC33164P-5RP	L UNDERVOLT SENSE	2	2000	1.44	2000	†	
MC33165DW	L LIN POWER SWITCHING REG	2	47	3.16	47	†	
MC33165DWR2	L LIN POWER SWITCHING REG	2	1000	3.18	1000	†	
MC33165P	L LIN PWR SWITCHING REG	2	25	3.14	500	†	
MC33166D2TR4	L LIN PWR SWITCHING REG	2	800	4.69	800	†	
MC33166T	L LIN PWR SWITCHING REG	1	50	5.20	50	†	
MC33166TH	L LIN PWR SWITCHING REG	N	50	5.44	50 ★	†	
MC33166TV	L 3AMP FIX FREQ DC-DC CNVRT	N	50	5.44	50	†	
MC33167T	L LINEAR PWR SWITCHING REG	N	50	5.87	50	†	
MC33167TV	L LIN PWR SWITCHING REG	N	50	6.08	50	†	
MC33169DTB-004	L GAAS POW AMP SUPPIC	N	98	2.09	98	S P †	
MC33171D	L LIN LO PWR/SNGL SPLY O.A.	N	98	1.70	98	†	
MC33171DR2	L LO PWR SS OP AMP	2	2500	1.74	2500	†	
MC33171P	L LIN LO PWR/SNGL SPLY O.A.	2	50	1.70	1000	†	
MC33172D	L LIN LO PWR/SNGL SPLY O.A.	1	98	1.85	98	†	

A = Signal, Power, Communications
C = ADCD, ISD, Wireline, Wireless
F = AMCU, CMSD, CSIC A&I, CSIC C&S
L = Linear, Logic
M = RISC, FSRAM, DRAM

S = Proprietary Device
B = Motorola Blue Chip Program Device
P = Phoenix Program
★ = First Time in Book
† \$200 Minimum Waived

N = Key New Motorola Device
R = Key "Focus" Motorola Device

1 = Mature, Stable, High-Volume Device
2 = Moderate-Volume Device
3 = Low-Volume Device