





# Ar Meeting




Hongxia Dai

Jul 13, 2017

# Cerenkov cut efficiency







# Calorimeter cut efficiency



Error calculation: Wilson score interval [https://en.wikipedia.org/wiki/Binomial\\_proportion\\_confidence\\_interval](https://en.wikipedia.org/wiki/Binomial_proportion_confidence_interval)

# Tracking Efficiency



# One-track efficiency between[phi\_1,phi\_2]

- Make cuts to select electron sample

- Trigger cut: DR.evtypebits>>3&1


- Acceptance cuts:

- $\text{abs}(L.\text{tr.tg\_th}) < 0.05$
- $L.\text{tr.tg\_dp} > -0.035 \ \&\& \ L.\text{tr.tg\_dp} < 0.03$
- $L.\text{tr.tg\_ph} > \text{phi\_1} \ \&\& \ L.\text{tr.tg\_ph} < \text{phi\_2}$

- PID cuts:

- $L.\text{cer.asum\_c} > 500 \ \&\& \ E/p > 0.8$

- $$eff = \frac{\# \text{ single track events}}{\# \text{ sample events}}$$




# VDC detector efficiency(without acceptance cuts)



- Make cuts to select electron sample
  - Trigger cut: DR.evtypebits>>3&1
  - PID cuts:
    - L.cer.asum\_c>500 && E/p>0.8
- $eff1 = \frac{\# \text{ non-zero track events}}{\# \text{ sample events}}$  (=100% for all 9 delta scan runs)
- $eff2 = \frac{\# \text{ single track events}}{\# \text{ sample events}}$

Run#	730	731	739	740	747	748	755	756	763
Eff2(%)	99.21	98.40	98.46	98.76	98.88	98.99	99.10	99.14	99.19

# Cross Section Models 2222@15.541





# 2020@15



Archive data: <http://faculty.virginia.edu/qes-archive/data/12C.dat>



# 2020@20



Archive data: <http://faculty.virginia.edu/qes-archive/data/12C.dat>